



Outdoor Model

Loading heights XXL (tall tub)

2 racks

Height adjustable upper rack


Place settings	Tallest glass in upper rack*	Largest plate in lower rack
15	10 5/8"	15 3/4"

* The glass must be tilted.

Models: DOD651PHXXLS

To ToC

Loading flexibility





30 Series

Loading height XL (ADA)

3 racks

Fixed upper rack

Place settings	Tallest glass in upper*	Largest plate in lower rack
16	10 5/8"	13"

* The glass must be tilted.

To ToC



Loading flexibility

Models: DFI663/DBI663IS/DBI663ISSOF/DBI663PHS/DBI663THS/ DFI664 (40 Series ADA)

40 Series


Loading height XXL (tall tub)
3 racks
Height adjustable upper rack

Place settings	Tallest glass in upper rack*	Largest plate in lower rack
16	10 5/8"	15 3/4"

* The glass must be tilted.

Models: DFI664XXL/DFI664XXLSOF/DBI664IXXLS/DBI664IXXLSOF/DBI664THXXLS/DBI664PHXXLS/DFI663XXL (30 Series XXL)

Loading flexibility



50 Series

Loading heights XXL (tall tub)

3 racks – Mid

Height adjustable upper rack

Place settings	Tallest glass in upper rack*	Largest plate in lower rack**
17	10 5/8"	15 3/4"

* The glass must be tilted.

** Middle rack removed

Loading flexibility

Models: DFI675XXL/DBI675IXXLS/DBI675THXXLS/DBI675PHXXLS