



HIGHLIGHTED ELICA VENTILATION

RETAIL | BUILDER/MAP
EFFECTIVE DATE JANUARY 1, 2023

VERSION 23.0



DALLAS
2615 East Belt Line Road
Carrollton, Texas 75006
Ph. 877.644.0414

TEMPE
1221 W. Warner Rd. Suite 102,
Tempe, Arizona 85284
Ph. 877.644.0414

Tempe Warehouse:
Freeport Logistics, Inc.
4625 N 45th Ave.
Phoenix, AZ 85031

CHICAGO WAREHOUSE:
Lakeview Appliance Dist.
2600 Elmhurst Road
Elk Grove Village, IL. 60007



Table of Contents

| | |
|---------------------|---|
| Under Cabinet Hoods | 2 |
|---------------------|---|

| | |
|------------------|---|
| Wall Mount Hoods | 8 |
|------------------|---|

| | |
|--------------|----|
| Island Hoods | 20 |
|--------------|----|

| | |
|--------|----|
| Insert | 26 |
|--------|----|

| | |
|-----------|----|
| Downdraft | 32 |
|-----------|----|

| | |
|--------------------|----|
| Outdoor Wall Hoods | 33 |
|--------------------|----|

| | |
|--------------------|----|
| Induction Cooktops | 34 |
|--------------------|----|

| | |
|-----------------|----|
| Makeup Air Kits | 35 |
|-----------------|----|

| | |
|--------------|----|
| Undercounter | 36 |
|--------------|----|



UNDER CABINET HOODS

NEMI

Nemi sports a slender 5" height and soft curves, designed to modernize and perfectly fit kitchens where space is premium. Nemi features a 3-speed, 280 CFM internal blower, which provides sufficient ventilating power for most kitchens. The durable stainless steel push button controls allow for easy adjustment of blower speeds. A single dishwasher-safe anodized aluminum mesh filter is easy to clean.

Available in 30" or 36" widths, Nemi is designed for standard ducted installation, and can be installed as a recirculating system, using the Recirculating Kit, available as an accessory. For design versatility, Nemi is available in a choice of stainless steel, black, or white finishes.



FEATURES

- 30" or 36" Wide Under-Cabinet
- Black (30" only), White (30" only), Stainless Steel (30" or 36")
- Stainless Steel Push Button
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 280 CFM, 3-Speed Internal
- 1, Dishwasher-Safe, Aluminum Mesh
- 3 1/4" x 10" with Back Draft Damper (top or rear) or 7" Round (top) Sold Separately
- 120V-60Hz
- 210 Watts at 1.8 Amps

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|----------|---|--------|----------|----------|
| ENM230WT | 30" W x 18 3/4" D x 5" H, 280 CFM, White, Halogen Lights LIMITED AVAILABILITY | 19.4 | \$239.00 | \$219.00 |
| ENM230W1 | 30" W x 18 3/4" D x 5" H, 280 CFM, White, LED Lights NEW REPLACES ABOVE | 19.4 | \$269.00 | \$249.00 |
| ENM230BL | 30" W x 18 3/4" D x 5" H, 280 CFM, Black, Halogen Lights LIMITED AVAILABILITY | 19.4 | \$239.00 | \$219.00 |
| ENM230B1 | 30" W x 18 3/4" D x 5" H, 280 CFM, Black, LED Lights NEW REPLACES ABOVE | 19.4 | \$269.00 | \$249.00 |
| ENM230S1 | 30" W x 18 3/4" D x 5" H, 280 CFM, Stainless | 19.4 | \$329.00 | \$299.00 |
| ENM236S1 | 36" W x 18 3/4" D x 5" H, 280 CFM, Stainless | 21 | \$359.00 | \$329.00 |

ACCESSORIES

| | | | | |
|------------|--|-----|---------|---------|
| KIT02723 | Back Draft Damper, 7" Round for all NEMI Models | 0.5 | \$30.00 | \$27.00 |
| KIT02722 | Duct Transition 7" Round for ENM230WT / W1 and ENM230BL / B1 | 1.1 | \$12.00 | \$11.00 |
| KIT0140997 | Recirculating Kit for ENM230S1 and ENM236S1 | 1.1 | \$46.00 | \$42.00 |

****New Models ending in "S1" have illuminated electronic push buttons and LED lighting**

ALLASIO

The slim Allasio with 4 3/4" height is ideal where under-cabinet space is limited, plus the contemporary styling and gleaming colors will compliment other appliances and most cabinetry. Allasio features a 3-speed, 300 CFM internal blower, which provides sufficient ventilating power for most kitchens. The attractive, electronic push button controls illuminate an elegant blue glow when activated and allows the user to manage blower speeds.



FEATURES

- 30" or 36" Wide Under-Cabinet
- Black (30" only), White (30" only), Stainless Steel (30" or 36")
- Electronic Push Button on B1 and W1 models
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 300 CFM, 3-Speed Internal
- 2, Dishwasher-Safe, Aluminum Mesh Grease Filters
- 3 1/4" x 10" with Back Draft Damper (top or rear) or 7" Round (top) Sold Separately
- 120V-60Hz
- 360 Watts at 4.3 Amps

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|--|--------|----------|----------|
| EAL330B1 | 30" W x 20" D x 4 3/4" H, 300 CFM, Black, LED Lights; Electric Push Button Controls | 31 | \$379.00 | \$349.00 |
| EAL330W1 | 30" W x 20" D x 4 3/4" H, 300 CFM, White, LED Lights; Electric Push Button Controls | 31 | \$379.00 | \$349.00 |
| EAL330S2 | 30" W x 20" D x 4 3/4" H, 300 CFM, Stainless; 4 Speed; LED Lights, Electronic Touch Controls; CFM Reduction System | 28 | \$429.00 | \$389.00 |
| EAL336S2 | 36" W x 20" D x 4 3/4" H, 300 CFM, Stainless; 4 Speed; LED Lights, Electronic Touch Controls; CFM Reduction System | 30 | \$489.00 | \$449.00 |

| ACCESSORIES | | | | |
|--------------------|---|-----|----------|----------|
| KIT02178 | Recirculating Kit (30"), Contains 2 square Carbon Filters & Clips | 1 | \$89.00 | \$79.00 |
| KIT02179 | Recirculating Kit (36"), Contains 2 square Carbon Filters & Clips | 1.1 | \$119.00 | \$109.00 |
| KIT02723 | Back Draft Damper, 7" Round | 0.5 | \$30.00 | \$27.00 |
| GRI0131086A | Stainless Steel Baffle Slot Filter for 30" - One | 1 | \$65.00 | \$59.00 |
| GRI0131087A | Stainless Steel Baffle Slot Filter for 36" - One | 1 | \$65.00 | \$59.00 |

****New Models ending in "S1" have illuminated electronic push buttons and LED lighting**

BELLAGIO

With a compact 4 3/4" height, Bellagio is an ideal choice where under-cabinet space is limited. An upgraded 4-speed, 430 CFM internal blower provides sufficient ventilating power for most kitchens. Bellagio also offers the luxury and convenience of halogen lighting with 2 light intensities, dishwasher-safe anodized aluminum mesh filters and multi-function electronic controls with LCD display.

Available in 30" or 36" width, Bellagio is designed for standard ducted installation, and can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



FEATURES

- 30" & 36" Wide, Under-Cabinet Hood
- Available in White, Stainless Steel
- Multi-Function Electronic Touch Controls
- 430 CFM, 4-Speed Internal Blower
- 2, Dishwasher Safe, Anodized Aluminum Mesh Grease Filters
- For Ducted or Recirculating Installations
- Duct Transition - Rectangular 10" x 3 1/4" (Top and Rear), Included
- Duct Transition - 7" Round (Top), Included
- No Return Valve - Rectangular 10" x 3 1/4", Included
- No Return Valve - 7" Round, Available
- AC Input: 120V, 60 Hz - Max Power - 445 Watts, 3.6 Amps
- CRS (CFM reduction system)

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|--------------------|--|--------|----------|----------|
| EBL430W1 | 30" W. x 20" D x 4 3/4 H. 430 CFM, White LED Lights, CFM Reduction MINIMUM ORDER QTY: 60 PIECES | 32 | \$589.00 | \$539.00 |
| EBL430S1 | 30" W. x 20" D x 4 3/4 H. 430 CFM, Stainless Steel, LED Lights; CFM Reduction | 21 | \$589.00 | \$539.00 |
| EBL436S1 | 36" W. x 20" D x 4 3/4 H. 430 CFM, Stainless Steel, LED Lights; CFM Reduction | 33 | \$629.00 | \$569.00 |
| ACCESSORIES | | | | |
| KIT02178 | Recirculating Kit (30"), Contains 2 Carbon Filters & Clips | 1 | \$89.00 | \$79.00 |
| KIT02179 | Recirculating Kit (36"), Contains 2 Carbon Filters & Clips | 1.1 | \$119.00 | \$109.00 |
| KIT02723 | Back Draft Damper, 7" Round | 0.5 | \$30.00 | \$27.00 |
| GRI0131086A | Stainless Steel Baffle Slot Filter for 30" - One | 1 | \$65.00 | \$59.00 |
| GRI0131087A | Stainless Steel Baffle Slot Filter for 36" - One | 1 | \$65.00 | \$59.00 |

ARIA

With a compact 4 3/4" height, Aria is an ideal choice where under-cabinet space is limited. Its upgraded 430 CFM internal blower provides sufficient ventilating power for most kitchens. Aria also offers the luxury and convenience of LED lighting with 2, baffle slot filters, multi-function touch controls.

Available in 30" or 36" width, Aria is designed for standard ducted installation and can also be used as a recirculating system using the kit available as an accessory.



FEATURES

- 30" & 36"
- 430 CFM
- 4 Speed Internal Blower
- Multi Function Touch Display
- LED Lighting
- SS Baffle Slot Filter
- Heat Guard Sensor
- CFM Reduction System

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|---|--------|----------|----------|
| EAI430SS | 30" W x 20" D x 4 3/4" H, 430 CFM Stainless & Black Glass | 33 | \$709.00 | \$649.00 |
| EAI436SS | 36" W x 20" D x 4 3/4" H, 430 CFM Stainless & Black Glass | 35 | \$779.00 | \$709.00 |

ACCESSORIES

| | | | | | |
|------------------|--|---|-----|----------|----------|
| KIT02178A | | Recirculating Kit (30"), Contains 2 square Carbon Filters & Clips | 1 | \$89.00 | \$79.00 |
| KIT02179A | | Recirculating Kit (36"), Contains 2 square Carbon Filters & Clips | 1.1 | \$119.00 | \$109.00 |
| KIT02723 | | Back Draft Damper, 7" Round | 0.5 | \$30.00 | \$27.00 |

SORA

Available in 30" and 36" widths and only 10" high, the Sora offers professional styling and adequate power for most cooking needs. Sora features a 400 CFM blower with dishwasher safe anodized aluminum mesh filters, halogen lighting and rocker switch controls for convenience and safety. Sora is sure to deliver easy maintenance, higher efficiency and a cleaner kitchen.



ESR430S1 Shown

FEATURES

- 30" or 36" Wide Under-Cabinet
- Stainless Steel
- Rocker Controls
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 400 CFM, 3-Speed Internal
- 31/4" x 10" with Back Draft Damper (top or rear)
- 120V-60Hz
- 340 Watts at 2.8 Amps

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|--|--------|----------|----------|
| ESR430S1 | 30" W x 23" D x 10" H, 400 CFM, Stainless; LED Lighting, Baffle Filter | 40.4 | \$659.00 | \$599.00 |
| ESR436S1 | 36" W x 23" D x 10" H, 400 CFM, Stainless; LED Lighting, Baffle Filter | 47 | \$729.00 | \$659.00 |

ACCESSORIES

| | | | | | |
|-------------------|------------|--|-----|---------|---------|
| KIT02770 | (EXXRCK10) | Recirculating Kit (For 30" and 36", contains 2 round carbon filters & cabinet grate) | 1.9 | \$41.00 | \$37.00 |
| KIT0185097 | | Electronic CFM Reduction Kit (achieves < 300 CFM) | 0.5 | \$39.00 | \$35.00 |

CERVINIA

Available in 30" and 36" widths and only 10" tall, the Cervinia is a streamlined version of the full-size Calabria model and comes unbranded for easy coordination with other appliances. Cervinia features professional styling, seamless welded corner craftsmanship, a powerful 600 CFM blower with professional stainless steel baffle filters, halogen lighting, plus rotating knob controls for convenience and safety. Cervinia is sure to deliver easy maintenance, higher efficiency and a cleaner kitchen. Cervinia is designed for standard ducted ventilation only.



FEATURES

- 30" or 36" Wide, Wall-Mounted/Under Cabinet, Stainless Steel Hood
- LED Lights
- Illuminated SS Rotating Knobs
- 600 CFM, 4-Speed Internal Blower
- 2, Dishwasher-Safe, Stainless Steel Baffle Filters
- Ducted Installation Only
- Duct Transition: 3 1/4" x 10" (Top or Rear)
- AC Input: 120V - 60Hz, AC Power Max.: 550W at 4.6 Amps

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|---|--------|------------|------------|
| ECV630S3 | 30" W x 23" D x 11 1/32" H, 600 CFM Stainless | 59 | \$1,369.00 | \$1,249.00 |
| ECV636S3 | 36" W x 23" D x 11 1/32" H, 600 CFM Stainless | 67 | \$1,429.00 | \$1,299.00 |

ACCESSORIES

| | | | | |
|-------------------|--|------|------------|------------|
| KIT02159 | Chimney Extension Kit 6" for 30" hood | 8.5 | \$239.00 | \$219.00 |
| KIT02158 | Chimney Extension Kit 6" for 36" hood | 11.5 | \$269.00 | \$249.00 |
| KIT02160 | Chimney Extension Kit 12" for 30" hood | 15.2 | \$399.00 | \$359.00 |
| KIT02161 | Chimney Extension Kit 12" for 36" hood | 18.3 | \$429.00 | \$389.00 |
| KIT0142864 | SS Back Splash & Warming Rack 30" | 26.5 | \$639.00 | \$579.00 |
| KIT0142867 | SS Back Splash & Warming Rack 36" | 30.9 | \$679.00 | \$619.00 |
| KIT0154387 | Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE / REPLACE EXISTING BLOWER | 54 | \$979.00 | \$889.00 |
| KIT0153054 | External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/ REPLACE EXISTING BLOWER | 67 | \$1,839.00 | \$1,669.00 |
| KIT0185097 | Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |

WALL MOUNT HOODS

CALABRIA

For homeowners who are passionate about the culinary arts, the seamless welded corner craftsmanship, traditional styling and gleaming stainless steel of Calabria, provides the look and performance you expect from a professional-grade range hood plus it comes unbranded for easy coordination with other appliances. Calabria is available in 30", 36", 42", and 48" widths and equipped with a 600 CFM (30" and 36") or 1200 CFM blower (36", 42", 48") to support all cooking needs.

Calabria is designed for standard ducted ventilation only.



FEATURES

- 30", 36", 42" or 48" Wide Wall-Mount
- Stainless Steel
- LED Lights
- Illuminated SS Rotating Knobs
- Ducted Installation Only
- 600 CFM, 4-Speed Internal (30", 36" Units)
- 1200 CFM, 4-Speed Internal (36", 42", 48" Units)
- Dishwasher-Safe, Professional Stainless Steel Baffle (2 w/ 30", 36", & 42"; 3 w/ 48" Units)
- 10" Round with Back Draft Damper (top or rear)
- 120V-60Hz
- 550 Watts at 4.6 Amps (600 CFM Blower)
- 800 Watts at 6.7 Amps (1200 CFM Blower)

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|--|--------|------------|------------|
| ECL630S4 | 30" W x 25" D x 18" H, 600 CFM, Stainless | 85 | \$1,669.00 | \$1,519.00 |
| ECL636SS | 36" W x 25" D x 18" H, 600 CFM, Stainless | 92 | \$1,809.00 | \$1,649.00 |
| ECL136S4 | 36" W x 25" D x 18" H, 1200 CFM, Stainless | 97 | \$1,949.00 | \$1,769.00 |
| ECL142S4 | 42" W x 25" D x 18" H, 1200 CFM, Stainless | 111 | \$2,079.00 | \$1,889.00 |
| ECL148S4 | 48" W x 25" D x 18" H, 1200 CFM, Stainless | 130 | \$2,199.00 | \$1,999.00 |

CALABRIA (CONTINUED)

| ACCESSORIES | | | | |
|--------------------|--|---------------|---------------|------------|
| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
| KIT02159 | 6" Tall Chimney Extension Kit for 30" Hood | 8.5 | \$239.00 | \$219.00 |
| KIT02158 | 6" Tall Chimney Extension Kit for 36" Hood | 11.5 | \$269.00 | \$249.00 |
| KIT02622 | 6" Tall Chimney Extension Kit for 42" Hood | 14.8 | \$299.00 | \$269.00 |
| KIT02164 | 6" Tall Chimney Extension Kit for 48" Hood | 17.7 | \$329.00 | \$299.00 |
| KIT02160 | 12" Tall Chimney Extension Kit for 30" Hood | 15.2 | \$399.00 | \$359.00 |
| KIT02161 | 12" Tall Chimney Extension Kit for 36" Hood | 18.3 | \$429.00 | \$389.00 |
| KIT02623 | 12" Tall Chimney Extension Kit for 42" Hood | 20.2 | \$469.00 | \$429.00 |
| KIT02165 | 12" Tall Chimney Extension Kit for 48" Hood | 28.7 | \$479.00 | \$439.00 |
| KIT0155106 | Heat Lamp Kit w/ 2 - 175W bulbs for 30" Hood | 15.5 | \$339.00 | \$309.00 |
| KIT0155107 | Heat Lamp Kit w/ 2 - 175W bulbs for 36" Hood | 16 | \$359.00 | \$329.00 |
| KIT0155110 | Heat Lamp Kit w/ 2 - 175W bulbs for 42" Hood | 17.2 | \$369.00 | \$339.00 |
| KIT0155111 | Heat Lamp Kit w/ 2 - 175W bulbs for 48" Hood | 18.2 | \$379.00 | \$349.00 |
| KIT0142864 | Stainless Back Splash and Warm Racks 30" | 26.5 | \$639.00 | \$579.00 |
| KIT0142867 | Stainless Back Splash and Warm Racks 36" | 30.9 | \$679.00 | \$619.00 |
| KIT0142868 | Stainless Back Splash and Warm Racks 42" | 30.9 | \$699.00 | \$639.00 |
| KIT0142870 | Stainless Back Splash and Warm Racks 48" | 39.7 | \$819.00 | \$749.00 |
| KIT0154387 | Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE /REPLACE EXISTING BLOWER | 54 | \$979.00 | \$889.00 |
| KIT0153054 | External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER | 67 | \$1,839.00 | \$1,669.00 |
| KIT0179549 | Remote Inline Blower Shell Kit - 8" or 10" duct size compatible USE WITH 1200 CFM BLOWER MODELS (internal, external, inline) | 54 | \$549.00 | \$499.00 |
| KIT0179547 | Remote External Blower Shell Kit - 8" or 10" duct size compatible (304 stainless) USE WITH 1200 CFM BLOWER MODELS (internal, external, inline) | 67 | \$829.00 | \$749.00 |
| KIT0185752 | Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |
| KIT0185099 | Electronic CFM Reduction Bypass KIT for 1200 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |

POTENZA

Potenza combines curved glass and stainless steel to create a light and airy environment, which is perfect for any contemporary kitchen. The flowing design is either 30" or 36" widths and comes equipped with a powerful 400 CFM blower that can support the cooking demands of most kitchens. Stainless steel push button controls, multiple functions and 3-speed blower.

Potenza features a telescopic chimney for up to 8'5" ceilings. Designed for standard ducted installation, Potenza can also be installed as a recirculating system using the recirculating kit, available as an accessory.



FEATURES

- 30" or 36" Wide Wall-Mount Chimney
- Stainless Steel + Clear Glass
- LED Lights
- Push Button Controls
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 400 CFM
- 1, Dishwasher-Safe, Anodized Aluminum Mesh Grease Filter
- For heights 6'8" - 9'0" (ducted)
- For heights 7'0" - 9'4" (recirculating)
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 300 Watts at 2.5 Amps

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|--------------------|---|--------|----------|----------|
| EPT430S3 | 30" W x 19 11/16" D x 1 15/16" H, 400 CFM, SS + Clear Glass; 4 Speed, Electronic Touch Push Buttons; CFM Reduction System | 48 | \$629.00 | \$569.00 |
| EPT436S3 | 36" W x 19 11/16" D x 1 15/16" H, 400 CFM, SS + Clear Glass; 4 Speed, Electronic Touch Push Buttons; CFM Reduction System | 51 | \$699.00 | \$639.00 |
| ACCESSORIES | | | | |
| KIT0102875 | Recirculating Kit for 30" and 36", contains 6" Deflector, 3 flat Carbon Filters & Clips | 6.6 | \$99.00 | \$89.00 |
| KIT0100315 | Chimney Extension Kit - Reaches 8'5" - 12'1" (ducted), 9'2" - 12'5" (recirculating) | 26 | \$329.00 | \$299.00 |
| KIT01609/1 | Chimney Extension Kit - Reaches 7'5" - 10'3" (ducted), 8'2" - 10'11" (recirculating) | 20 | \$219.00 | \$199.00 |
| KIT0175561 | Electronic CFM Reduction Kit (achieves <300 CFM) FOR S2 MODELS ONLY | 0.5 | \$39.00 | \$35.00 |
| GF04YB | Stainless Steel Microhole Filter | 1 | \$30.00 | \$28.00 |

COMO

Como combines arched glass wings and stainless steel to create a light and airy environment...the perfect centerpiece for any contemporary kitchen. This gently flowing design is powered by a 600 CFM blower that can handle the demands generated by today's cooktops. The multi-function electronic controls with LCD display, 4-speed, 600 CFM blower and even has a sensor that tells you when to clean your dishwasher-safe filter. Designed for standard ducted installation, Como can also be installed as a recirculating system using the Re-circulating Kit, available as an accessory.



FEATURES

- 30" or 36" Wide, Wall-Mounted, Stainless Steel & Black Glass, Chimney Hood
- Multi-Function Electronic Touch Controls
- 600 CFM, 4-Speed Internal Blower
- Dishwasher-Safe micro hole filter
- Ducted or Recirculating Installation
- Telescopic Chimney Extension - 7' 5" to 10'5" (ducted)
- For heights 7'9" - 10'9" (recirculating)
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 490W at 4.1 Amps
- LED Lights
- CRS (CFM reduction system)

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|---|--------|------------|------------|
| ECM630S3 | 30" W x 19 11/16" D x 1 15/16" H, 600 CFM SS / Black Glass + Clear Glass Canopy | 56 | \$1,229.00 | \$1,119.00 |
| ECM636S3 | 36" W x 19 11/16" D x 1 15/16" H, 600 CFM SS / Black Glass + Clear Glass Canopy | 59 | \$1,289.00 | \$1,169.00 |

ACCESSORIES

| | | | | |
|-------------------|---|----|----------|----------|
| KIT02721A | Recirculating Kit (for 30" and 36", contains 6" Deflector and 2 Round Carbon Filters) | 6 | \$99.00 | \$89.00 |
| KIT0100315 | Chimney Extension Kit - Reaches 8'5" - 12'1" (ducted), 9'2" - 12'5" (recirculating) | 20 | \$329.00 | \$299.00 |

VOLTERRA

Volterra with its pyramid shaped angles and stainless steel finish make it a visually striking statement to any kitchen. Available in 24" 30" or 36" widths, Volterra features stainless steel push button controls that manage multiple functions and an internal 3-speed blower.

Volterra features a telescopic chimney for ducted installations. Designed for standard ducted installation Volterra can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



FEATURES

- 24", 30" and 36" Wide, Wall Chimney Mounted Hoods
- 400 CFM
- LED Lights
- Filter Saturation Alarms (Grease & Charcoal)
- Heat Guard
- Dishwasher Safe Anodized Aluminum Mesh Filter
- Duct Transition - 6" Round
- Telescopic Chimney Extension 7' 5" to 9' 6" (Ducted)
- Power Supply - Junction Box 120V - 60Hz, AC Power Max: 300W at 2.5 Amps
- APPROVALS - UL, CUL

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|--------------------|---|--------|----------|----------|
| EVL424SS | 24" W x 19 11/16" D x 10 1/4" H, 400 CFM, Stainless; 3 Speed, Electronic Push Button Controls | 37 | \$589.00 | \$539.00 |
| EVL430S2 | 30" W x 19 11/16" D x 10 1/4" H, 400 CFM, Stainless; 3 Speed, Electronic Push Button Controls | 39 | \$619.00 | \$559.00 |
| EVL436S2 | 36" W x 19 11/16" D x 10 1/4" H, 400 CFM, Stainless; 3 Speed, Electronic Push Button Controls | 42 | \$679.00 | \$619.00 |
| ACCESSORIES | | | | |
| KIT02766 | Recirculating Kit (30" and 36", contains 2 round carbon filters and 6" deflector) | 6.6 | \$149.00 | \$139.00 |
| KIT02762 | Chimney Extension Kit - Reaches 8'5" - 11'3" (ducted), 8'6" - 11'7" (recirculating) | 12 | \$239.00 | \$219.00 |
| KIT0175561 | Electronic CFM Reduction Kit (achieves <300 CFM) FOR S2 MODELS ONLY | 0.5 | \$39.00 | \$35.00 |
| GF04YB | Stainless Steel Microhole Filter | 1 | \$30.00 | \$28.00 |

VARNA

The clean lines, beautifully sloping angles and stainless steel finish of Varna make a striking visual statement. Available in 30" or 36" width, Varna features include a powerful 600 CFM blower, dishwasher-safe stainless steel microhole filters and multi-function electronic controls with LCD display that deliver convenience and safety. Designed for standard ducted installation, Varna can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



FEATURES

- 30" or 36" Wide, Wall-Mounted, Stainless Steel, Chimney Hood
- Programable Multi-Function Electronic Touch Controls
- 600 CFM, 4-Speed Internal Blower
- Dishwasher-Safe, Stainless Steel Microhole Filters (2 w/ 30", 3 w/ 36")
- Ducted or Recirculating Installation
- Duct Transition: 6" Round: Backdraft Damper Included
- AC Input: 120V - 60Hz, AC Power Max.: 550W at 4.6 Amps
- CRS (CFM reduction system)

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|--|--------|------------|------------|
| EVR630BL | 30" W x 19 11/16" D x 10 1/4" H, 600 CFM Black Stainless & Black Glass | 43 | \$1,149.00 | \$1,049.00 |
| EVR630S2 | 30" W x 19 11/16" D x 10 1/4" H, 600 CFM Stainless & Black Glass | 43 | \$1,039.00 | \$949.00 |
| EVR636BL | 36" W x 19 11/16" D x 10 1/4" H, 600 CFM Black Stainless & Black Glass | 46 | \$1,229.00 | \$1,119.00 |
| EVR636S2 | 36" W x 19 11/16" D x 10 1/4" H, 600 CFM Stainless & Black Glass | 46 | \$1,119.00 | \$1,019.00 |

ACCESSORIES

| | | | | |
|-------------------|---|-----|----------|----------|
| KIT02766 | Recirculating Kit (For 30" and 36", contains 6" Deflector and 2 Round Carbon Filters) | 6.6 | \$149.00 | \$139.00 |
| KIT02762 | Chimney Extension Kit - Reaches 8'5" - 11'3" (ducted), 8'6" - 11'7" (recirculating) for SS Models Only | 12 | \$239.00 | \$219.00 |
| KIT0140998 | Chimney Extension Kit - Reaches 8'5" - 11'3" (ducted), 8'6" - 11'7" (recirculating) for BLACK Models Only | 12 | \$269.00 | \$249.00 |

TOBLINO

Toblino with its super sleek hood design that's only 2" high is the perfect complement to modern kitchen designs that often feature futuristic products with sharp architectural lines. Available in 24" 30" or 36" widths, Toblino features durable controls which allow for easy adjustment of blower speeds and dual lamps. Toblino features a telescopic chimney. Designed for standard ducted installation, Toblino can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



FEATURES

- 24" 30" or 36" Wide Wall-Mount Chimney
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 400 CFM
- Dishwasher-Safe, Anodized Aluminum Mesh Grease
- (2 w/ 30", 3 w/ 36")
- For heights 6'9" - 8'10" (ducted)
- For heights 7'1" - 9'2" (recirculating)
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 300 Watts at 2.5 Amps

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|----------|---|--------|----------|----------|
| ETB424SS | 24" W x 19 11/16" D x 1 9/16" H, 400 CFM, Stainless; 3 Speed Electronic Push Button Controls | 45 | \$679.00 | \$619.00 |
| ETB430S2 | 30" W x 19 11/16" D x 1 9/16" H, 400 CFM, Stainless; 3 Speed Electronic Push Button Controls - PHASE OUT | 53 | \$609.00 | \$559.00 |
| ETB430S3 | 30" W x 19 11/16" D x 1 9/16" H, 400 CFM, Stainless; 4 Speed Electronic Touch Button Controls; CFM Reduction System - REPLACES ABOVE | 53 | \$739.00 | \$669.00 |
| ETB436S2 | 36" W x 19 11/16" D x 1 9/16" H, 400 CFM, Stainless; 3 Speed Electronic Push Button Controls- PHASE OUT | 56 | \$689.00 | \$629.00 |
| ETB436S3 | 36" W x 19 11/16" D x 1 9/16" H, 400 CFM, Stainless; 4 Speed Electronic Touch Button Controls; CFM Reduction System - REPLACES ABOVE | 56 | \$799.00 | \$729.00 |

ACCESSORIES

| | | | | |
|------------|--|-----|----------|----------|
| KIT0102875 | Recirculating Kit for 30" and 36" , contains 6" deflector, 3 flat carbon filters & clips | 6.6 | \$99.00 | \$89.00 |
| KIT01935 | Chimney Extension Kit - Reaches 7'5" - 10'5" (ducted), 7'9" - 10'9" (recirculating) | 18 | \$139.00 | \$129.00 |
| KIT02785 | Chimney Extension Kit - Reaches 8'5" - 12'1" (ducted), 8'9" - 12'5" (recirculating) | 27 | \$239.00 | \$219.00 |
| KIT0175561 | Electronic CFM Reduction Kit (achieves <300 CFM) FOR S2 MODELS ONLY | 0.5 | \$39.00 | \$35.00 |
| GFO4YB | Stainless Steel Microhole Filter | 1 | \$30.00 | \$28.00 |

MEZZANO

With a “minimalist” hood design that’s only 2” high, the stainless steel Mezzano is in step with today’s world of flat-panel TVs and other futuristic products with clean, architectural lines. Mezzano features include a powerful 600 CFM blower, filters and multi-function electronic controls with display that deliver convenience and safety.

Designed for standard ducted installation, Mezzano can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



FEATURES

- 30" or 36" Wide Wall-Mount Chimney
- Stainless Steel
- Multi-function electronic display
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 600 CFM, 4-Speed Internal
- Dishwasher-Safe, micro hole filters
- For heights 7'5" - 10'5" (ducted)
- For heights 7'9" - 10'9" (recirculating)
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 490 Watts at 4.1 Amps
- LED Lights on "S3" models.
- CRS (CFM reduction system)

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|--|--------|------------|------------|
| EMZ630S3 | 30" W x 19 11/16" D x 2 3/8" H, 600 CFM, Stainless & Black Glass | 64 | \$1,369.00 | \$1,249.00 |
| EMZ636S3 | 36" W x 19 11/16" D x 2 3/8" H, 600 CFM, Stainless & Black Glass | 68 | \$1,439.00 | \$1,309.00 |

| ACCESSORIES | | | | |
|-------------------|---|-----|----------|----------|
| KIT0102875 | Recirculating Kit (For 30" and 36", contains 6" deflector, 3 flat Carbon Filters and Clips) | 6.6 | \$99.00 | \$89.00 |
| KIT02785 | Chimney Extension Kit - Reaches 8'6" - 12'2" (ducted), 8'10" - 12'6" (recirculating) | 20 | \$239.00 | \$219.00 |

LUGANO

With Lugano, a gently tapered stainless steel canopy that measures only 5" high, conveys understated elegance. Available in 30" or 36" widths, Lugano features include a powerful 600 CFM blower, filters and a multi-function electronic control with LCD display that delivers convenience and safety. Designed for standard ducted installation, Lugano can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



FEATURES

- 30" or 36" wide Wall-Mount Chimney
- Noise (sones): Min: 2.03, Max: 8 Sones
- Stainless Steel with Black Glass
- LED Lights
- Black glass Touch Display
- Ducted or Recirculating with Installation Kit (sold separately)
- Speed 1: 160 CFMs
- Speed 2: 280 CFMs
- Speed 3: 470 CFMs
- Speed 4: 600 CFMs
- Duct Transition - Top Round 6"
- Aluminum Mesh Filter + Perimeter Aspiration
- 120V - 60 Hz
- 460 Watt at 3.7 Amp
- CRS (CFM reduction system)

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|---|--------|------------|------------|
| ELG630S3 | 30" W x 19 11/16" D x 5" H. SS w/ 600 CFM Black Glass Display, Low Profile Canopy | 58 | \$1,369.00 | \$1,249.00 |
| ELG636S3 | 36" W x 19 11/16" D x 5" H. SS w/ 600 CFM Black Glass Display, Low Profile Canopy | 60 | \$1,509.00 | \$1,369.00 |

ACCESSORIES

| | | | | |
|-------------------|--|-----|----------|----------|
| KIT0141925 | Recirculating Kit for 30" and 36", contains 6" Deflector and 4 Flat Carbon Filters and Clips | 6.6 | \$99.00 | \$89.00 |
| KIT01935 | Chimney Extension Kit - Reaches 7'9" - 10'9" (ducted), 8'1" - 11'1" (recirculating) | 18 | \$139.00 | \$129.00 |
| KIT02785 | Chimney Extension Kit - Reaches 8'8" - 12'4" (ducted), 9'0" - 12'8" (recirculating) | 20 | \$239.00 | \$219.00 |

PILATO

The rounded front, beautifully sloping angles and stainless steel finish of Pilato make a striking visual statement. Available in 30" or 36" widths, Pilato features include a powerful 600 CFM blower, halogen lighting with 2 light intensities, dishwasher-safe stainless steel microhole filters and multi-function electronic controls with LCD display that deliver convenience and safety.

Designed for standard ducted installation, Pilato can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



| | Sound/Sones | Airflow/CFM |
|---------|-------------|-------------|
| Speed 1 | 1.7 | 160 |
| Speed 2 | 3.3 | 280 |
| Speed 3 | 6.0 | 475 |
| Speed 4 | 8.2 | 600 |

FEATURES

- 30" or 36" Wide Wall-Mount Chimney
- Stainless Steel
- Multi-function electronic with LCD display
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 600 CFM, 4-Speed Internal
- Dishwasher-Safe, Stainless Steel Micro Hole (2 w/ 30", 3 w/ 36")
- For heights 7'5" - 9'6" (ducted)
- For heights 7'9" - 9'10" (recirculating)
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 490 Watts at 4.1 Amps

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|---|--------|------------|------------|
| EPL630S1 | 30"W x 21 1/2"D x 10 1/4" H, 600 CFM, Stainless, Halogen Lighting LIMITED AVAILABILITY | 46 | \$939.00 | \$859.00 |
| EPL630S2 | 30"W x 21 1/2"D x 10 1/4" H, 600 CFM, Stainless, LED Lighting NEW REPLACES ABOVE | 46 | \$1,039.00 | \$949.00 |
| EPL636S1 | 36"W x 21 1/2"D x 10 1/4" H, 600 CFM, Stainless, Halogen Lighting LIMITED AVAILABILITY | 50 | \$1,059.00 | \$969.00 |
| EPL636S2 | 36"W x 21 1/2"D x 10 1/4" H, 600 CFM, Stainless, LED Lighting NEW REPLACES ABOVE | 50 | \$1,179.00 | \$1,069.00 |

ACCESSORIES

| | | | | |
|-----------------|---|-----|----------|----------|
| KIT02766 | Recirculating Kit (For 30" and 36", contains 6" Deflector, 2 Round Carbon Filters) | 6.6 | \$149.00 | \$139.00 |
| KIT02762 | Chimney Extension Kit - Reaches 8'5" - 11'3" (ducted), 8'7" - 11'7" (recirculating) | 12 | \$239.00 | \$219.00 |

LEONE

Leone's crisp lines, beveled rim and gleaming stainless steel deliver professional cooking with a sense of style. Available in 30", 36", 42" and 48" widths, Leone comes equipped with an extra powerful 1200 CFM internal blower -600 CFM on 30" and 36"- and ergonomic stainless rotating knob controls, which operate the 4 speed blower. In addition, easy maintenance and a cleaner kitchen are assured with professional stainless steel baffle filters.



FEATURES

- 30", 36", 42" or 48" Wide Wall-Mount Chimney Stainless Steel
- Metallic illuminated rotating knob
- Ducted Installation Only
- 600 CFM, 4-Speed Internal (30", 36") 1200 CFM, 4-Speed Internal Blower (36", 42" & 48")
- Dishwasher-Safe, professional stainless steel baffle (1 w/ 30", 2 w/ 36", 42" & 48")
- 8" Round with Back Draft Damper (top)
- 120V-60Hz 550 Watts at 4.6 Amps (600 CFM), 800 Watts at 6.7 Amps (1200 CFM)
- LED lights

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|--|--------|------------|------------|
| ELN630S2 | 30" W x 24" D x 12 1/8" H, 600 CFM, Stainless | 70 | \$1,629.00 | \$1,479.00 |
| ELN636SS | 36" W x 24" D x 12 1/8" H, 600 CFM, Stainless | 75 | \$1,759.00 | \$1,599.00 |
| ELN136S2 | 36" W x 24" D x 12 1/8" H, 1200 CFM, Stainless | 80 | \$1,919.00 | \$1,749.00 |
| ELN142S2 | 42" W x 24" D x 12 1/8" H, 1200 CFM, Stainless | 90 | \$2,069.00 | \$1,879.00 |
| ELN148SS | 48" W x 24" D x 12 1/8" H, 1200 CFM, Stainless | 100 | \$2,199.00 | \$1,999.00 |

ACCESSORIES

| | | | | |
|-------------------|--|----|------------|------------|
| KIT01935 | Chimney Extension Kit - Reaches 8'4" - 11'4" (over elect. cooking), 8'10" - 11'4" (over gas) | 18 | \$139.00 | \$129.00 |
| KIT02785 | Chimney Ext Kit - Reaches 9'3" - 13'0" (over elect. cooking), 9'9" - 13'0" (over gas cooking) | 27 | \$239.00 | \$219.00 |
| KIT0154387 | Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER | 54 | \$979.00 | \$889.00 |
| KIT0153054 | External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER | 67 | \$1,839.00 | \$1,669.00 |
| KIT0179549 | Remote Inline Blower Shell Kit - 8" or 10" duct size compatible USE WITH 1200 CFM BLOWER MODELS (internal, external, inline) | 54 | \$549.00 | \$499.00 |
| KIT0179547 | Remote External Blower Shell Kit - 8" or 10" duct size compatible (304 stainless) USE WITH 1200 CFM BLOWER MODELS (internal, external, inline) | 67 | \$829.00 | \$749.00 |
| KIT0185752 | Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |
| KIT0185099 | Electronic CFM Reduction Bypass KIT for 1200 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |

VAVANO

Give a splash of Italian design to your professional kitchen with Vavano's crisp lines, seamless welded corner craftsmanship, beveled rim and gleaming stainless steel. No ear plugs required with Vavano's HUSH sound suppression system, which enables you to comfortably talk and entertain, even when cooking up a storm.

Available in 36" and 48" widths, Vavano features backlit hidden knob controls, which operate the 4-speed blower and LED lighting. Easy maintenance and a cleaner kitchen are assured with professional stainless steel angled baffle filters.



FEATURES

- 36" or 48" wide Wall Chimney
- Stainless Steel
- IN/OUT Backlit Knob
- 2 LED 7.5 watts LED light, replaceable lamps (1 intensity)
- Ducted Installation Only
- Speed 1, 202 CFMs
- Speed 2, 350 CFMs
- Speed 3, 510 CFMs
- Speed 4, 600 CFMs
- Dishwasher-Safe, Professional Stainless Steel, Angled Baffle Filters 2(36" Unit) 3(48" Unit)
- Min: 3.21, Max: 7.7 Sones
- 8" Round with Back Draft Damper (top only)
- 120 Volts, 60 Hertz

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|--|--------|------------|------------|
| EVV636S1 | 36" W x 24" D x 5" H, 600 CFM, Stainless | 70 | \$2,089.00 | \$1,899.00 |
| EVV648S1 | 48" W x 24" D x 5" H, 600 CFM, Stainless | 90 | \$2,249.00 | \$2,049.00 |

ACCESSORIES

| | | | | |
|-------------------|---|----|------------|------------|
| KIT0146881 | Chimney Ext Kit - Reaches 9'0" - 13'6" (over elect. cooking), 9'6" - 13'6" (over gas cooking) | 27 | \$399.00 | \$359.00 |
| KIT0154387 | Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER | 54 | \$979.00 | \$889.00 |
| KIT0153054 | External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER | 67 | \$1,839.00 | \$1,669.00 |
| KIT0185752 | Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |

ISLAND HOODS

CINGOLI

Designed to be suspended above a kitchen island, Cingoli takes flight with graceful 36" or 42" arched glass wings, which allow natural light to illuminate the surface below. The expansive glass wings are complemented by reflective stainless steel. The beauty of Cingoli is combined with features like a powerful 600 CFM blower, dishwasher-safe filter and multi-function electronic controls deliver convenience and safety.

Designed for standard ducted installation, Cingoli can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



FEATURES

- 36" or 42" Wide Island
- Stainless Steel + Clear Glass
- Multi-function electronic display
- Ducted or Recirculating Installation
- LED Lights
- Black glass Touch Display
- Recirculating Kit Sold Separately
- 600 CFM, 4-Speed Internal
- 1, Dishwasher-Safe filter
- For heights 7'5" - 10'2" (ducted)
- For heights 7'9" - 10'6" (recirculating)
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 530 Watts at 4.4 Amps
- CRS (CFM reduction system)

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|---|--------|------------|------------|
| ECN636S3 | 36" W x 25 3/16" D x 1 15/16" H, 600 CFM, SS & Black Glass/Clear Glass Canopy | 97 | \$1,699.00 | \$1,549.00 |
| ECN642S3 | 42" W x 25 3/16" D x 1 15/16" H, 600 CFM, SS & Black Glass/Clear Glass Canopy | 104 | \$1,839.00 | \$1,669.00 |

ACCESSORIES

| | | | | |
|-------------------|--|----|----------|----------|
| KIT02665 | Recirculating Kit (For 36" & 42", contains 6"/8" Deflector and 2 round Carbon Filters) | 8 | \$229.00 | \$209.00 |
| KIT0100317 | Chimney Extension Kit - Reaches 8'9" - 12'7" (ducted), 9'2" - 12'9" (recirculating) | 53 | \$659.00 | \$599.00 |

SALICE

Salice conveys understated elegance with a gently tapered canopy that measures only 5" tall, which opens up the kitchen for entertainment and conversation. Available in 36" and 42" widths, Salice features a powerful 600 CFM blower, lighting with 2 light intensities, filters and multi-function electronic controls with LCD display that deliver convenience and safety.

Designed for ducted installation, Salice can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



ESL636S3 Shown

FEATURES

- 36" or 42" Wide Island
- Stainless Steel
- Multi-function electronic with LCD display
- LED Lights
- Ducted or Recirculating Installation Recirculating Kit Sold Separately
- 600 CFM, 4-Speed Internal
- Aluminum Mesh Filter + Perimeter Aspiration
- Telescopic Chimney Extension For heights 7'9" - 9'8" (ducted)
- For heights 8'0" - 10'0" (recirculating)
- Duct Transition 6" Round with Back Draft Damper (top)
- Electrical 120V-60Hz - 530 Watts at 4.4 Amps
- CRS (CFM reduction system)

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|---|--------|------------|------------|
| ESL636S3 | 36"W x 27"D x 5"H. 600 CFM Stainless Steel w/ Black Glass, Low Profile Canopy | 100 | \$1,759.00 | \$1,599.00 |
| ESL642S3 | 42"W x 27"D x 5"H 600 CFM Stainless Steel w/ Black Glass, Low Profile Canopy | 109 | \$2,029.00 | \$1,849.00 |

ACCESSORIES

| | | | | |
|-------------------|---|----|----------|----------|
| KIT0141924 | Recirculating Kit (For 36" & 42", contains 6" Deflector, 3 flat Carbon Filters and Clips) | 8 | \$229.00 | \$209.00 |
| KIT0100317 | Chimney Extension Kit - Reaches 9'0" - 12'10" (ducted), 9'4" - 13'0" (recirculating) | 53 | \$659.00 | \$599.00 |

STONEY ISLAND

The pairing of glass and brilliant stainless steel, make it ideal for any kitchen and will blend perfectly with other appliances. Perimeter Aspiration technology helps to achieve Top Performance by delivering more powerful and efficient fume extraction, plus it reduces noise. Available in 30" & 36" widths, Stoney includes a powerful 600 CFM blower, LED lighting with dimmable feature and glass capacitive touch controls. Like all of the hoods in the Elica Stream line, Stoney is also meant for anyone who loves high-technological solutions, where Elica hoods and cooktops automatically communicate with one another, recognizing quality and quantity of cooking vapors, thus accordingly adjusting performance levels.



FEATURES

- 36" or 42" Island Chimney Hood
- Stainless Steel with Black Glass
- Touch Control 3S+ Booster (sensor)
- 2 LED Premium Dimmable Lights
- Ducted or Recirculating with Installation Kit (sold separately)
- 600 CFM, 4-Speeds
- Duct Transition Top Round 6"
- 2 Aluminum Mesh Filter + Perimeter Aspiration
- 120V - 60 Hz
- 530 Watt at 4.4 Amp
- CRS (CFM reduction system)

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|--|--------|------------|------------|
| ESI636SS | 36" W x 27" D x 5" H, 600 CFM, Stainless | 103 | \$2,389.00 | \$2,169.00 |
| ESI642SS | 42" W x 27" D x 5" H, 600 CFM, Stainless | 113 | \$2,669.00 | \$2,429.00 |

ACCESSORIES

| | | | | |
|-------------------|---|----|----------|----------|
| KIT0141924 | Recirculating Kit (For 36" & 42", contains 6" Deflector, 3 flat Carbon Filters and Clips) | 8 | \$229.00 | \$209.00 |
| KIT0100317 | Chimney Extension Kit - Reaches 9'0" - 12'10" (ducted), 9'4" - 13'0" (recirculating) | 53 | \$659.00 | \$599.00 |

LEONE ISLAND

Designed to support Island cooking, Leone Island delivers a splash of Italian design with the classic crisp lines of a chimney style hood, seamless welded corner craftsmanship, a beveled rim design and gleaming stainless steel plus the hood comes “unbranded”, for easy coordination with other appliances. Most importantly, Leone Island has the extra depth (27”) and power (1200 CFM) needed to support professional ranges and cooktops. No ear plugs required with Elica’s HUSH sound suppression system, which enables you to comfortably talk and entertain, even when cooking up a storm. Available in 36” and 42” widths, Leone Island features stainless rotating knob controls, which operate the 4-speed blower. Easy maintenance and a cleaner kitchen are ensured with professional stainless steel baffle filters. Leone Island is designed for standard ducted ventilation only.



FEATURES

- 36” or 42” Wide Island
- Stainless Steel
- Stainless illuminated Rotating Knob
- Ducted Installation Only
- 1200 CFM, 4-Speed Internal
- 3, Dishwasher-Safe, Professional Stainless Steel Baffle
- For heights 8’3” - 10’0” (ducted)
- 8” Round with Back Draft Damper (top)
- 120V-60Hz
- 800 Watts at 6.7 Amps
- led lights, hush sound suppression

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|---|--------|------------|------------|
| ELI136S2 | 36” W x 27” D x 12 3/4” H, 1200CFM, Stainless | 119 | \$2,459.00 | \$2,239.00 |
| ELI142S2 | 42” W x 27” D x 12 3/4” H, 1200 CFM, Stainless, | 129 | \$2,729.00 | \$2,479.00 |

ACCESSORIES

| | | | | |
|-------------------|--|----|----------|----------|
| KIT0100317 | Chimney Ext Kit - Reaches 9’7” - 13’6” (over elect. cooking), 10’1” - 13’6” (over gas cooking) | 53 | \$659.00 | \$599.00 |
| KIT0179549 | Remote Inline Blower Shell Kit - 8” or 10” duct size compatible USE WITH 1200 CFM BLOWER MODELS (internal, external, inline) | 54 | \$549.00 | \$499.00 |
| KIT0179547 | Remote External Blower Shell Kit - 8” or 10” duct size compatible (304 stainless) USE WITH 1200 CFM BLOWER MODELS (internal, external, inline) | 67 | \$829.00 | \$749.00 |
| KIT0185099 | Electronic CFM Reduction Bypass KIT for 1200 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |

VAVANO ISLAND

Available in 42" and 48" widths, Vavano Island comes equipped with a powerful 600 CFM internal blower and backlit hidden metallic in/out knobs, which operate the 4 speed blower and LED lighting.



FEATURES

- 42" or 48" wide Island Hood
- Stainless Steel
- IN/OUT Backlit Knob
- 4 LED 7.5 watts LED light, replaceable lamps (1 intensity)
- Ducted Installation Only
- Speed 1, 205 CFMs
- Speed 2, 350 CFMs
- Speed 3, 510 CFMs
- Speed 4, 600 CFMs
- Dishwasher-Safe, Professional Stainless Steel, Angled Baffle Filters 3(42"/ 48" Units)
- Min: 3.21, Max: 7.7 Sones
- 8" Round with Back Draft Damper (top only)
- 120 Volts, 60 Hertz

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|---|--------|------------|------------|
| EVI642S1 | 42" W x 24" D x 5" H, 600 CFM, Stainless, | 119 | \$2,519.00 | \$2,289.00 |
| EVI648S1 | 48" W x 24" D x 5" H, 600 CFM, Stainless, | 129 | \$2,969.00 | \$2,699.00 |

ACCESSORIES

| | | | | |
|-------------------|--|----|------------|------------|
| KIT0145610 | Chimney Ext Kit - Reaches 8'11" - 13'0" (over elect. cooking), 9'5" - 13'0" (over gas cooking) | 53 | \$859.00 | \$779.00 |
| KIT0154387 | Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER | 54 | \$979.00 | \$889.00 |
| KIT0153054 | External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER | 67 | \$1,839.00 | \$1,669.00 |
| KIT0185752 | Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |



INSERTS

ASTI

Asti is designed for discreet mounting inside cabinetry. At only 10 3/4" deep, Asti fits perfectly into 12" deep cabinetry and is ideal for kitchens where space is limited, or where the range hood needs to be out of sight. Asti comes equipped with a powerful 400 CFM blower that can handle most cooking needs. Convenient stainless steel push button controls operate the 3 speed blower, while dishwasher safe anodized aluminum mesh filters offer easy maintenance. Asti is designed for standard ducted or recirculating installation.



FEATURES

- 22", 28" and 30" Wide Insert
- Stainless Steel
- Stainless Steel Push Buttons on 30"
- Illuminated Push Buttons on 22" and 28" EAS428S1
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 400 CFM, 3-Speed Internal
- 2, Dishwasher-Safe, Anodized Aluminum Mesh Grease Filters
- SS Mesh Filter on 30"
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 340 Watts at 2.8 Amps
- LED Lights

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|---|--|--------|----------|----------|
| EAS422SS | 22 1/4" W x 10 3/4" D x 9 1/2" H, 400 CFM, Stainless; 3 Speed, Electronic Push Button Controls | 28 | \$519.00 | \$469.00 |
| EAS428S1 | 28 1/4 "W x 10 3/4 "D x 9 1/2" H, 400 CFM Stainless; 3 Speed Backlit Electronic Push Button Controls | 30 | \$549.00 | \$499.00 |
| NOTE: LINERS WILL NOT FIT WITH EAS422SS OR EAS430SS | | | | |
| EAS430SS | 30" W x 10 3/4" D x 9 1/2" H, 400 CFM Stainless | 32 | \$569.00 | \$519.00 |
| ACCESSORIES | | | | |
| KIT02773 | Hood Liner, 29" x 17 1/2" - 20 1/2" D x 4" H FOR USE WITH EAS428 ONLY | 14.2 | \$169.00 | \$159.00 |
| KIT02774 | Hood Liner, 35" x 17 1/2" - 20 1/2" D x 4" H FOR USE WITH EAS428 ONLY | 16 | \$219.00 | \$199.00 |
| KIT02770 | Recirculating Kit (contains 2 round carbon filters & cabinet grate) | 1.9 | \$41.00 | \$37.00 |
| KIT0175561 | Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm) FOR EAS422SS, EAS428S1 AND EAS430SS | 1 | \$39.00 | \$35.00 |

PALERMO

Palermo provides professional grade performance, while it's 28 1/4" width and 10 3/4" depth enables it to be discreetly installed within standard 12" deep cabinetry, making it ideal for smaller kitchens or where the range hood needs to be out of sight. Palermo has a powerful 600 CFM blower to support most cooking needs.

Stylish stainless steel push button controls operate a 3-speed blower.

Easy maintenance, higher efficiency and a cleaner kitchen are ensured by Elica's patented Baffle Slot Filters, which capture a higher percentage of grease and hold larger volumes of grease than traditional baffle filters.

Palermo is designed for standard ducted or recirculating installation.



FEATURES

- 28" Wide Insert
- Stainless Steel
- LED lights
- Stainless Steel Push Button
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 600 CFM, 3-Speed Internal
- 2, Dishwasher-Safe, Stainless Steel Baffle Slot
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 260 Watts at 4.6 Amps

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|--|--------|----------|----------|
| EPR628S1 | 28 1/4" W x 10 3/4" D x 9 1/2" H, 600 CFM, Stainless | 32 | \$929.00 | \$849.00 |
| EPR634SS | 34 1/4" W x 10 3/4" D x 9 1/2" H, 600 CFM Stainless | 35 | \$989.00 | \$899.00 |

| ACCESSORIES | | | | |
|-------------------|--|------|----------|----------|
| KIT02773 | Hood Liner, 29" x 17 1/2" - 20 1/2" D x 4" H FOR USE WITH EPR628S1 ONLY | 14.2 | \$169.00 | \$159.00 |
| KIT02774 | Hood Liner, 35" x 17 1/2" - 20 1/2" D x 4" H FOR USE WITH EPR628S1 ONLY | 16 | \$219.00 | \$199.00 |
| KIT02770 | Recirculating Kit (contains 2 round carbon filters & cabinet grate) | 1.9 | \$41.00 | \$37.00 |
| KIT0175561 | Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |

TRENTO



FEATURES

- 600 CFM or 1200 CFM
- 4-speed
- Fully Recessing Stainless Rotating Knobs with Blue Illumination
- 10" round (top)
- 2 2.5 Watt LED Lamps, 1 intensity (bulbs included)
- 2 Professional Stainless Steel Baffle filters

SPECIAL FEATURES

- HUSH Sound Suppression, ALL-IN-ONE Design (no liner required)

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|--|--------|------------|------------|
| ETR628SS | 28 1/2" W x 18" D x 11 7/8" H, 600 CFM, Stainless | 53 | \$1,209.00 | \$1,099.00 |
| ETR634SS | 34 1/2" W x 18" D x 11 7/8" H, 600 CFM, Stainless | 63 | \$1,319.00 | \$1,199.00 |
| ETR134S1 | 34 1/2" W x 18" D x 11 7/8" H, 1200 CFM, Stainless | 68 | \$1,429.00 | \$1,299.00 |
| ETR146SS | 46 1/2" W x 18" D x 11 7/8" H, 1200 CFM, Stainless | 90 | \$1,739.00 | \$1,579.00 |

ACCESSORIES

| | | | | |
|-------------------|--|----|------------|------------|
| KIT0154387 | Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER | 54 | \$979.00 | \$889.00 |
| KIT0153054 | External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER | 67 | \$1,839.00 | \$1,669.00 |
| KIT0179549 | Remote Inline Blower Shell Kit - 8" or 10" duct size compatible USE WITH 1200 CFM BLOWER MODELS (internal, external, inline) | 54 | \$549.00 | \$499.00 |
| KIT0179547 | Remote External Blower Shell Kit - 8" or 10" duct size compatible (304 stainless) USE WITH 1200 CFM BLOWER MODELS (internal, external, inline) | 67 | \$829.00 | \$749.00 |
| KIT0185752 | Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |
| KIT0185099 | Electronic CFM Reduction Bypass KIT for 1200 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |

AREZZO

Arezzo provides professional grade performance, while being discreetly mounted inside the cabinetry. Arezzo is available in 28 1/2" and 34" width with a 600 CFM blower, and equipped with a 1200 CFM blower for widths of 34 1/2", 40 1/2" and 46 1/2" for extraordinary ventilating power. Rotating knob controls operate the 4 speed blower.

Easy maintenance, higher efficiency and a cleaner kitchen are ensured by Elica's patented Baffle Slot Filters, which capture a higher percentage of contaminants and hold larger volumes of grease than traditional baffle filters. Arezzo is designed for standard ducted installation only.



FEATURES

- 28", 34", 40" or 46" Wide Insert
- Stainless Steel Illuminated Rotating Knobs
- Ducted Installation Only
- 600 CFM, 4-Speed Internal (28", 34" Unit)
- 1200 CFM, 4-Speed Internal (34", 40", 46" Units)
- Dishwasher-Safe, Stainless Steel Baffle Slot
- (2 w/ 28" Unit, 3 w/ 34" & 40" Units, 4 w/ 46" Unit)
- 10" Round with Back Draft Damper (top only)
- 120V-60Hz
- 550 Watts at 4.6 Amps (600 CFM)
- 1000 Watts at 8.3 Amps (1200 CFM)
- LED lights

PRODUCT HIGHLIGHTED IN YELLOW IS A STOCK ITEM WITH IMMEDIATE AVAILABILITY

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|---|--------|------------|------------|
| EAR628S4 | 28 1/2" W x 22" D x 11 7/8"H, 600 CFM, Stainless | 57 | \$1,299.00 | \$1,179.00 |
| EAR634SS | 34 1/2" W x 22" D x 11 7/8"H, 600 CFM, Stainless | 67 | \$1,349.00 | \$1,229.00 |
| EAR134S4 | 34 1/2" W x 22" D x 11 7/8"H, 1200 CFM, Stainless | 72 | \$1,539.00 | \$1,399.00 |
| EAR140S4 | 40 1/2" W x 22" D x 11 7/8"H, 1200 CFM, Stainless | 82 | \$1,699.00 | \$1,549.00 |
| EAR146S4 | 46 1/2" W x 22" D x 11 7/8"H, 1200 CFM, Stainless | 94 | \$1,819.00 | \$1,659.00 |

ACCESSORIES

| | | | | |
|-------------------|--|----|------------|------------|
| KIT0154387 | Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER | 54 | \$979.00 | \$889.00 |
| KIT0153054 | External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER | 67 | \$1,839.00 | \$1,669.00 |
| KIT0179549 | Remote Inline Blower Shell Kit - 8" or 10" duct size compatible USE WITH 1200 CFM BLOWER MODELS (internal, external, inline) | 54 | \$549.00 | \$499.00 |
| KIT0179547 | Remote External Blower Shell Kit - 8" or 10" duct size compatible (304 stainless) USE WITH 1200 CFM BLOWER MODELS (internal, external, inline) | 67 | \$829.00 | \$749.00 |
| KIT0185752 | Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |
| KIT0185099 | Electronic CFM Reduction Bypass KIT for 1200 cfm blowers (achieves < 300 cfm) | 1 | \$39.00 | \$35.00 |

HILIGHT

SAVE the VIEW and kitchen Architectural Design. HILIGHT installs perfectly flush with the ceiling (out of sight), leaving the space above the cooktop completely open. With the blower high up in the ceiling, sound is reduced, allowing you to cook up a storm and entertain with comfort. Plus, adjustable low energy strip LED lighting creates the right mood for every moment. Control the lighting and blower speeds with a remote control, and the grease filters are easily accessed behind a drop down panel for effortless clean up in the dishwasher.



FEATURES

- Ceiling Mount Hood
- 600 CFM
- 5 Speed Blower
- Aluminum Mesh Filter
- LED Strip Lighting

Hilight can be installed in kitchens with ceiling heights of 10' or lower

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|--|--------|------------|------------|
| EHL640SS | 40" W x 22" D x 11 3/4" H, Stainless Steel Plate & Frame | 75 | \$2,899.00 | \$2,639.00 |
| EHL640WH | 40" W x 22" D x 11 3/4" H, White Glass & Stainless Frame | 86 | \$2,899.00 | \$2,639.00 |

ACCESSORIES

| | | | | |
|-------------------|-------------------|---|---------|---------|
| KIT0167875 | Recirculating Kit | 2 | \$58.00 | \$53.00 |
|-------------------|-------------------|---|---------|---------|

ILLUSION

FIRST PANEL-READY CEILING HOOD ON THE MARKET. ILLUSION not only installs perfectly flush with the ceiling, but the face of the hood is designed to be fitted with drywall, that can be textured and painted to perfectly match the rest of the ceiling. Illusion doesn't hide, it virtually DISAPPEARS! Above all, Illusion SAVES the VIEW and preserves the Architectural Design of the kitchen, by leaving the space above the cooktop completely open. With the blower high up in the ceiling, sound is reduced, allowing you to cook up a storm and entertain with comfort. Plus, elegantly recessed/hidden strip LED lighting creates the right mood for every moment. Control the lighting and blower speeds with a remote control, and the grease filters are easily accessed behind a drop down panel for effortless clean up in the dishwasher. Also available in all white, with a white metal panel.



FEATURES

- Ceiling Mount Hood
- 600 CFM
- 5 Speed Blower
- Aluminum Mesh Filter
- LED Strip Lighting

Illusion can be installed in kitchens with ceiling heights of 10' or lower

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|--|--------|------------|------------|
| EIL640DW | 40" W x 20" D x 11 3/4" H, Drywall & Stainless Frame | 66 | \$2,899.00 | \$2,639.00 |
| EIL640WH | 40" W x 20" D x 11 3/4" H, White Glass & White Metal Frame | 69 | \$2,899.00 | \$2,639.00 |

ACCESSORIES

| | | | | |
|-------------------|-------------------|---|---------|---------|
| KIT0167875 | Recirculating Kit | 2 | \$58.00 | \$53.00 |
|-------------------|-------------------|---|---------|---------|


DOWNDRAFTS

RISE

When the view out your kitchen window is too spectacular to disrupt with a range hood, Elica's Rise is the perfect solution. Rise recesses completely out-of-sight into the countertop (when not in use), but when it's time to cook, Rise elevates a full 14" above the countertop (almost twice the height of competitors), for added ventilating efficiency. On top of that, Elica added Perimeter Aspiration Technology, which increases suction 35% and actually draws air from the front burner effectively, to create the best functioning downdraft on the market.

Rise comes equipped with a powerful 600 CFM internal blower, which is operated by an electronic rotating control that's flush mounted into the countertop or cabinet face.

For maximum flexibility, the blower can be rotated to the opposite side to make room for a floor mounted range.



FEATURES

- 30" or 36" Wide Downdraft
- Stainless Steel
- Electronic Rotating Disc
- Ducted Installation Only
- 600 CFM, 4-Speeds Internal
- Speed 4, 600 CFM, 8.0 Sones
- Perimeter Aspiration (Aluminium Mesh Filter Behind)
- Plus Perimeter Aspiration Plate
- 6" Round with Back Draft Damper (side)
- 120V-60Hz
- 410 Watts at 3.4 Amps

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|---|--------|------------|------------|
| ERS630S1 | 30" W x 2 1/2" D x 14" H, 600 CFM Stainless | 120 | \$1,869.00 | \$1,699.00 |
| ERS636S1 | 36" W x 2 1/2" D x 14" H, 600 CFM Stainless | 130 | \$1,979.00 | \$1,799.00 |

ACCESSORIES

| | | | | |
|-----------------|--|-----|---------|---------|
| KIT02748 | CFM Reduction Kit (achieves < 300 CFM) | .05 | \$65.00 | \$59.00 |
|-----------------|--|-----|---------|---------|

OUTDOOR WALL HOODS

CAPRI



FEATURES

- 36" or 48" Outdoor Wall Hood
- Corrosion Resistant Grade Stainless Steel
- Fully retractable rotating knobs with blue backlighting
- LED lights
- 10" Round with BackDraft Damper (top)
- Ducted Installation Only
- Led consumer replaceable bulb
- Senses extreme temperatures and automatically adjusts the blower speed to HIGH
- Stainless steel baffle filters with grease collectors

| MODEL | DESCRIPTION | RETAIL | MAP |
|----------|--|------------|------------|
| ECP136SS | 36" W x 32" D x 18" H, Stainless ORDER BLOWER SEPARATELY | \$2,369.00 | \$2,159.00 |
| ECP148SS | 48" W x 32" D x 18" H, Stainless ORDER BLOWER SEPARATELY | \$2,799.00 | \$2,549.00 |

ACCESSORIES

| | | | | |
|------------|---|----|------------|------------|
| KIT0156645 | DUCT COVER 12" Tall x 36" Wide | 18 | \$379.00 | \$349.00 |
| KIT0156649 | DUCT COVER 12" Tall x 48" Wide | 23 | \$419.00 | \$379.00 |
| KIT0156637 | DUCT COVER 6" Tall x 36" Wide | 11 | \$369.00 | \$339.00 |
| KIT0156641 | DUCT COVER 6" Tall x 48" Wide | 14 | \$399.00 | \$369.00 |
| KIT0153304 | SPACER 3" deep x 18" Tall x 36" Wide | 5 | \$659.00 | \$599.00 |
| KIT0153305 | SPACER 3" deep x 18" Tall x 48" Wide | 7 | \$739.00 | \$669.00 |
| KIT0179549 | Remote Inline Blower Shell Kit - 8" or 10" duct size compatible **REQUIRES PURCHASE OF KIT0156655** USE WITH 1200 CFM BLOWER MODELS | 54 | \$549.00 | \$499.00 |
| KIT0153054 | 1200 cfm EXTERNAL BLOWER (includes SS Shell plus factory installed 1200 cfm blower) | 67 | \$1,839.00 | \$1,669.00 |
| KIT0156655 | 1200 cfm INTERNAL BLOWER | 22 | \$439.00 | \$399.00 |

INDUCTION COOKTOPS



The first aspirating cooktop by Elica. The aspiration system, equipped with a central fan, can reach very highperformance levels in terms of air capture, noise level and energy efficiency. Thanks to a direct communication with the cooktop, NikolaTesla receives the information coming from the cooking zones and automatically sets ideal aspiration values. Available both in aspiration and filtering mode, the cooktop has been designed to fit in any type of living space. Recirculating kit is included

NIKOLA TESLA SWITCH

| MODEL | DESCRIPTION | WEIGHT | RETAIL | MAP |
|-----------------|---|--------|------------|------------|
| ENS436BL | 36" W x 20 1/4" D x 8 1/4" H, Black Glass | 92 | \$5,499.00 | \$4,999.00 |

MAKEUP AIR SOLUTION



- Works With any Brand of Kitchen Ventilation
- Works for New Construction or Retro-Fit Jobs
- Universal Design Reduces Builder Costs

| MODEL | DESCRIPTION | RETAIL | MAP |
|--------------------|--|----------|----------|
| KIT0148906A | Contains 6" Round Switch Duct plus 6" Round Motorized Damper | \$339.00 | \$309.00 |
| KIT0148914A | Contains 8" Round Switch Duct plus 6" Round Motorized Damper | \$369.00 | \$339.00 |
| KIT0148978A | Contains 10" Round Switch Duct plus 6" Round Motorized Damper | \$439.00 | \$399.00 |
| KIT0148981A | Contains 3 1/4" x 10" Switch Duct plus 6" Round Motorized Damper | \$339.00 | \$309.00 |

UNDERCOUNTER



RISERVA SERIES

Beverage Center SINGLE DOOR SINGLE ZONE



FEATURES

- 24"
- 23 2/5" W x 33 4/5" H x 23 3/5" D
- 128 lbs
- Built-in and Free Standing
- 4.8 cu ft (135L)
- 39 dBA
- 304 Stainless Steel + Glass
- Concealed Hinge Design
- 3 Level White LED
- Capacitive Touch Controls with Display with White Numbers

COOLING ZONE 1 - BEVERAGES

Total Capacity - 120 cans (12 oz cans)

Temperature Range - 33 to 65 °F

3 Adjustable - Slide Out Tempered, Glass Shelves with Wood and Metal Front Trim (Without Rollers)

| MODEL | DESCRIPTION | RETAIL | MAP |
|----------|--|------------|------------|
| EBS51SS1 | Single Door, Single Zone, Beverage Center, 4.8 cu/ft. Elect Touch w/ LCD Display | \$1,479.00 | \$1,349.00 |

ACCESSORIES

| | | | |
|------------|---------------------------------|---------|---------|
| KIT0175505 | Pro Handle Kit, Stainless Steel | \$89.00 | \$79.00 |
|------------|---------------------------------|---------|---------|

RISERVA SERIES

Beverage & Wine Center SINGLE DOOR DUAL ZONE



FEATURES

- 24"
- 23 2/5" W x 33 4/5" H x 23 3/5" D
- 128 lbs
- Built-in and Free Standing
- 4.8 cu ft (135L)
- 39 dBA
- 304 Stainless Steel + Glass
- Concealed Hinge Design
- 3 Level White LED
- Capacitive Touch Controls with Display with White Numbers

| COOLING ZONE 1 - BEVERAGES | COOLING ZONE 2 - WINES |
|---|---|
| Total Capacity - 72 cans (12 oz cans) | Total Capacity - 14 Bottles of Wine (25 oz) |
| Temperature Range - 34 to 50 °F | Temperature Range - 40 to 64 °F |
| 2 Adjustable Slide-Out Tempered Glass Shelves | 1 Full Extension Rack of Wood with Metal Front Trim |

| MODEL | DESCRIPTION | RETAIL | MAP |
|-----------------|---|------------|------------|
| EBS52SS1 | Single Door, Dual Zone, Beverage & Wine Ctr, 4.8 cu/ft. Dual Elect Touch w/ LCD Display | \$1,649.00 | \$1,499.00 |

ACCESSORIES

| | | | |
|-------------------|---------------------------------|---------|---------|
| KIT0175505 | Pro Handle Kit, Stainless Steel | \$89.00 | \$79.00 |
|-------------------|---------------------------------|---------|---------|

RISERVA SERIES

Beverage & Wine Center FRENCH DOOR DUAL ZONE



FEATURES

- 24"
- 23 2/5" W x 33 4/5" H x 23 3/5" D
- 117 lbs
- Built-in and Free Standing
- 4.8 cu ft (135L)
- 39 dBA
- 304 Stainless Steel + Glass
- Concealed Hinge Design
- 3 Level White LED
- Capacitive Touch with Display with White Numbers

| COOLING ZONE 1 - BEVERAGES | COOLING ZONE 2 - WINES |
|---|--|
| Total Capacity - 60 Cans (12 oz) | 21 Bottles of Wine (25 oz) |
| Temperature Range - 34 to 68 °F | Temperature Range - 34 to 68 °F |
| 3 Adjustable Slide-Out Glass Shelves with Plastic Front | 6 Pieces Beachwood Shelves with Metal Front Trim |

| MODEL | DESCRIPTION | RETAIL | MAP |
|----------|---|------------|------------|
| EBF52SS1 | French Door, Dual Zone, Beverage & Wine Ctr, 4.8 cu/ft; Dual Elect Touch w/ LCD Display | \$1,869.00 | \$1,699.00 |

ACCESSORIES

| | | | |
|------------|---------------------------------|---------|---------|
| KIT0175505 | Pro Handle Kit, Stainless Steel | \$89.00 | \$79.00 |
|------------|---------------------------------|---------|---------|

RISERVA SERIES

Wine Cellar SINGLE DOOR DUAL ZONE



FEATURES

- 24"
- 23 2/5" W x 33 4/5" H x 23 3/5" D
- 128 lbs
- Built-in and Free Standing
- 4.8 cu ft (135L)
- 39 dBA
- 304 Stainless Steel + Glass
- Concealed Hinge Design
- 3 Level White LED
- Capacitive Touch with Display with White Numbers

| COOLING ZONE 1 - WHITE WINE | COOLING ZONE 2 - RED WINE |
|--|---|
| Total Capacity - 16 Bottles of Wine (25 oz) | Total Capacity - 36 Bottles of Wine (25 oz) |
| Temperature Range - 40 to 50 °F | Temperature Range - 50 to 64 °F |
| 2 Full Extension Racks of Wood with Metal Front Trim | 3 Full Extension Rack of Wood with Metal Front Trim |

| MODEL | DESCRIPTION | RETAIL | MAP |
|-----------------|---|------------|------------|
| EWS52SS1 | Single Door, Dual Zone, Wine Cellar, 4.8 cu/ft; Dual Elect Touch w/ Green LCD Display | \$1,759.00 | \$1,599.00 |

ACCESSORIES

| | | | |
|-------------------|---------------------------------|---------|---------|
| KIT0175505 | Pro Handle Kit, Stainless Steel | \$89.00 | \$79.00 |
|-------------------|---------------------------------|---------|---------|