



 **elica**  
aria nuova

**RETAIL | BUILDER/MAP**  
EFFECTIVE DATE FEBRUARY 1, 2024

VERSION 24.0

---

**MD**  
MILESTONE  
DISTRIBUTORS

**Register your product at [elica.com](http://elica.com)  
and get 1 extra year of warranty.**

**3  
YEARS**

**PARTS AND LABOR FULL WARRANTY**

---

2+1 Extra year when you register your product at [elica.com](http://elica.com)  
Applies for all Elica products. For U.S. And Canada users only. For valid warranty  
extension, register within 3 months from purchase.





## Table of Contents

Under Cabinet Hoods	2
Wall Mount Hoods	12
Island Hoods	28
Inserts / Ceiling Mount Hoods	37
Downdraft	47
Outdoor Hoods	48
Makeup Air Kits	49
Induction Cooktops	50



# UNDER CABINET HOODS

## FUSARO

Fusaro has a slender 5" height and soft curves, designed to modernize and perfectly fit kitchens where space is a premium. A 2-speed, 190 CFM internal blower provides sufficient ventilating power for most kitchens. Color coordinated rocker switches control blower speeds and 75 Watts incandescent lighting. The anodized aluminum mesh grease filter is dishwasher safe and simple to remove & re-install.

Fusaro is designed for standard ducted installation only. Available in the most popular 30" width and offered in stainless steel.



## FEATURES

- 30" Wide, Under-Cabinet Hood
- Color Matched/Coordinated Rocker Switches
- 190 CFM, 2 Speed Internal Blower
- 1 - Incandescent Lamp 75W with 1 Light Intensity (Bulb Not Included)
- Open Bottom Body Style
- 1 - Aluminum Mesh Grease Filter
- Ducted Installation Only for EFS130SS
- Duct Transition - 10" x 3 1/4" (Top and Rear), Included
- Duct Transition - 7" Round, Available
- No Return Valve - Rectangular 10" x 3 1/4", Available
- No Return Valve - 7" Round, Available
- AC Input: 120V, 60 Hz - Max Power - 445 Watts, 3.6 Amps

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EFS130SS</b>	30" W. X 18 3/4" D x 5" H. 190 CFM, SS MINIMUM ORDER QTY: 30 PIECES - <b>PHASE OUT</b>	12.2	\$124.00	\$112.00
<b>EFS130S1</b>	30" W x 18 3/4" D x 5" H, 190 CFM SS Ducted or Recirculating - <b>REPLACES ABOVE</b>	14	\$149.00	\$139.00

## ACCESSORIES

<b>KIT02722</b>	Duct Transition - 7" Round	1.1	\$12.00	\$11.00
<b>KIT02723</b>	No Return Valve, 7" Round	0.5	\$30.00	\$27.00

# GUBBIO

GUBBIO is the perfect option for a functional kitchen with reduced spaces. With a powerful aspiration of 250 CFM, three speeds and LED lights, this undercabinet hood is ideal for builder projects.



## FEATURES

- 24" W.
- 250CFM
- 3 Speed Internal Blower
- Aluminum Mesh Filter
- Mechanical Slider Controls
- LED Lights

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EGB224SS</b>	24" W x 18 7/8" D x 4 15/16" H, Stainless	17	\$319.00	\$289.00

ACCESSORIES				
<b>KIT0140997</b>	Recirculating Kit Contains 1 flat carbon filter & clips	1.1	\$46.00	\$42.00
<b>KIT02723</b>	Back Draft Damper, 7" Round	0.5	\$30.00	\$27.00
<b>KIT02722</b>	Duct Transition - 7" Round	1.1	\$12.00	\$11.00

# NEMI

Nemi sports a slender 5" height and soft curves, designed to modernize and perfectly fit kitchens where space is premium. Nemi features a 3-speed, 280 CFM internal blower, which provides sufficient ventilating power for most kitchens. The durable stainless steel push button controls allow for easy adjustment of blower speeds. A single dishwasher-safe anodized aluminum mesh filter is easy to clean.

Available in 30" or 36" widths, Nemi is designed for standard ducted installation, and can be installed as a recirculating system, using the Recirculating Kit, available as an accessory. For design versatility, Nemi is available in a choice of stainless steel, black, or white finishes.



## FEATURES

- 30" or 36" Wide Under-Cabinet
- Black (30" only), White (30" only), Stainless Steel (30" or 36")
- Illuminated Electronic Stainless Steel Push Button
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 280 CFM, 3-Speed Internal
- 1, Dishwasher-Safe, Aluminum Mesh
- 3 1/4" x 10" with Back Draft Damper (top or rear) or 7" Round (top) Sold Separately
- 120V-60Hz
- 210 Watts at 1.8 Amps
- LED Lighting

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ENM230W1</b>	30" W x 18 3/4" D x 5" H, 280 CFM, White, LED Lights	19.4	\$269.00	\$249.00
<b>ENM230B1</b>	30" W x 18 3/4" D x 5" H, 280 CFM, Black, LED Lights	19.4	\$269.00	\$249.00
<b>ENM230S1</b>	30" W x 18 3/4" D x 5" H, 280 CFM, Electronic Push Button w/ WHITE Illumination Controls, Stainless	19.4	\$329.00	\$299.00
<b>ENM236S1</b>	36" W x 18 3/4" D x 5" H, 280 CFM, Electronic Push Button w/ WHITE Illumination Controls, Stainless	21	\$359.00	\$329.00

ACCESSORIES				
<b>KIT02723</b>	Back Draft Damper, 7" Round for all NEMI Models	0.5	\$30.00	\$27.00
<b>KIT02722</b>	Duct Transition 7" Round for ENM230WT / W1 and ENM230BL / B1	1.1	\$12.00	\$11.00
<b>KIT02179</b>	Recirculating Kit, contains 2 square Carbon Filters & Clips	1.1	\$119.00	\$109.00

# ALLASIO

The slim Allasio with 4 3/4" height is ideal where under-cabinet space is limited, plus the contemporary styling and gleaming colors will compliment other appliances and most cabinetry. Allasio features a 3-speed, 300 CFM internal blower, which provides sufficient ventilating power for most kitchens. The attractive, electronic push button controls illuminate an elegant blue glow when activated and allows the user to manage blower speeds.



## FEATURES

- 30" or 36" Wide Under-Cabinet
- Black (30" only), White (30" only), Stainless Steel (30" or 36")
- Illuminated Electronic Push Button
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- LED Lighting
- 300 CFM, 3-Speed Internal
- 2, Dishwasher-Safe, Aluminum Mesh Grease Filters
- 3 1/4" x 10" with Back Draft Damper (top or rear) or 7" Round (top) Sold Separately
- 120V-60Hz
- 360 Watts at 4.3 Amps

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EAL330B1</b>	30" W x 20" D x 4 3/4" H, 300 CFM, Black, LED Lights; Electric Push Button Controls	31	\$379.00	\$349.00
<b>EAL330W1</b>	30" W x 20" D x 4 3/4" H, 300 CFM, White, LED Lights; Electric Push Button Controls	31	\$379.00	\$349.00
<b>EAL330S2</b>	30" W x 20" D x 4 3/4" H, 300 CFM, SS; 4 Speed; LED Lights, Elect Touch Controls w/ Color Illumination; CFM Reduction System - <b>LIMITED AVAILABILITY</b>	28	\$429.00	\$389.00
<b>EAL330S1</b>	30" W x 20" D x 4 3/4" H, 300 CFM, SS; 3 Speed; LED Lights, Push Button w/ WHITE Illumination; CFM Reduction System - <b>REPLACES ABOVE</b>	28	\$429.00	\$389.00
<b>EAL336S2</b>	36" W x 20" D x 4 3/4" H, 300 CFM, SS 4 Speed; LED Lights, Elect Touch Controls w/ Color Illumination; CFM Reduction System - <b>LIMITED AVAILABILITY</b>	30	\$489.00	\$449.00
<b>EAL336S1</b>	36" W x 20" D x 4 3/4" H, 300 CFM, SS 3 Speed; LED Lights, Push Button w/ WHITE Illumination; CFM Reduction System - <b>REPLACES ABOVE</b>	30	\$489.00	\$449.00

## ACCESSORIES

<b>KIT02178</b>	Recirculating Kit (30"), Contains 2 square Carbon Filters & Clips	1	\$89.00	\$79.00
<b>KIT02179</b>	Recirculating Kit (36"), Contains 2 square Carbon Filters & Clips	1.1	\$119.00	\$109.00
<b>KIT02723</b>	Back Draft Damper, 7" Round	0.5	\$30.00	\$27.00
<b>GRI0131086A</b>	Stainless Steel Baffle Slot Filter for 30" - One	1	\$65.00	\$59.00
<b>GRI0131087A</b>	Stainless Steel Baffle Slot Filter for 36" - One	1	\$65.00	\$59.00

## NEW BELLAGIO

With a compact 4 3/4" height, Bellagio is an ideal choice where under-cabinet space is limited. An upgraded 4-speed, 400 CFM internal blower provides sufficient ventilation power for dishwasher-safe, anodized aluminum mesh filters and multiple back-lit color touch controls illuminate in elegant white, green, blue or red. Available in 30" or 36" width, Bellagio is designed for standard ducted installation, and can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



### FEATURES

- 30" & 36" Wide, Under-Cabinet Hood
- Available in Stainless Steel
- Multi-Function Electronic Touch Controls
- 400 CFM, 4-Speed Internal Blower
- 2, Dishwasher Safe, Anodized Aluminum Mesh Grease Filters
- For Ducted or Recirculating Installations
- Duct Transition - Rectangular 10" x 3 1/4" (Top and Rear), Included
- Duct Transition - 7" Round (Top), Sold Separately
- No Return Valve - Rectangular 10" x 3 1/4", Included
- AC Input: 120V, 60 Hz - Max Power - 445 Watts, 3.6 Amps
- CRS (CFM reduction system)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EBL430S1</b>	30" W. x 20" D x 4 3/4" H. 430 CFM, Stainless Steel, LED Lights; HeatGuard Sensor, Multi- Function Elect Control w/ Blue Display - <b>LIMITED AVAILABILITY</b>	31	\$589.00	\$539.00
<b>EBL430S2</b>	30" W. x 20" D x 4 3/4" H. 400 CFM, Stainless Steel, LED Lights; ELECT Touch Buttons w/ adjustable Color Illumination - <b>NEW COMING SOON - REPLACES ABOVE</b>	31	\$549.00	\$499.00
<b>EBL436S1</b>	36" W. x 20" D x 4 3/4" H. 430 CFM, Stainless Steel, LED Lights; HeatGuard Sensor, Multi- Function Elect Control w/ Blue Display - <b>LIMITED AVAILABILITY</b>	33	\$629.00	\$569.00
<b>EBL436S2</b>	36" W. x 20" D x 4 3/4" H. 400 CFM, Stainless Steel, LED Lights; ELECT Touch Buttons w/ adjustable Color Illumination - <b>NEW COMING SOON - REPLACES ABOVE</b>	33	\$599.00	\$539.00

ACCESSORIES				
<b>KIT02178</b>	Recirculating Kit (30"), Contains 2 Carbon Filters & Clips	1	\$89.00	\$79.00
<b>KIT02179</b>	Recirculating Kit (36"), Contains 2 Carbon Filters & Clips	1.1	\$119.00	\$109.00
<b>KIT02723</b>	Back Draft Damper, 7" Round	0.5	\$30.00	\$27.00
<b>GRI0131086A</b>	Stainless Steel Baffle Slot Filter for 30" - One	1	\$65.00	\$59.00
<b>GRI0131087A</b>	Stainless Steel Baffle Slot Filter for 36" - One	1	\$65.00	\$59.00



## ARIA

With a compact 4 3/4" height, Aria is an ideal choice where under-cabinet space is limited. Its upgraded 400 CFM internal blower provides sufficient ventilating power for most kitchens. Aria also offers the luxury and convenience of LED lighting with 2 baffle slot filters, multi-function touch controls.

Available in 30" or 36" width, Aria is designed for standard ducted installation and can also be used as a recirculating system using the kit available as an accessory.



### FEATURES

- 30" & 36"
- 400 CFM
- 4 Speed Internal Blower
- Multi Function Touch Display
- LED Lighting
- SS Baffle Slot Filter
- Heat Guard Sensor
- CFM Reduction System

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EAI430SS</b>	30" W x 20" D x 4 3/4" H, 400 CFM Stainless & Black Glass	33	\$709.00	\$649.00
<b>EAI436SS</b>	36" W x 20" D x 4 3/4" H, 400 CFM Stainless & Black Glass	35	\$779.00	\$709.00

ACCESSORIES					
<b>KITO2178</b>		Recirculating Kit (30"), Contains 2 square Carbon Filters & Clips	1	\$89.00	\$79.00
<b>KITO2179</b>		Recirculating Kit (36"), Contains 2 square Carbon Filters & Clips	1.1	\$119.00	\$109.00
<b>KITO2723</b>		Back Draft Damper, 7" Round	0.5	\$30.00	\$27.00

## SORA

Available in 30" and 36" widths and only 10" high, the Sora offers professional styling and adequate power for most cooking needs. Sora features a 400 CFM blower with dishwasher safe stainless steel baffle slot filters, halogen lighting and rocker switch controls for convenience and safety. Sora is sure to deliver easy maintenance, higher efficiency and a cleaner kitchen.



ESR430S1 Shown

### FEATURES

- 30" or 36" Wide Under-Cabinet
- Stainless Steel
- Rocker Controls
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 400 CFM, 2-Speed Internal
- 3 1/4" x 10" with Back Draft Damper (top or rear)
- 120V-60Hz
- 340 Watts at 2.8 Amps

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ESR430S1</b>	30" W x 23" D x 10" H, 400 CFM, Stainless; LED Lighting, Baffle Filter	40.4	\$659.00	\$599.00
<b>ESR436S1</b>	36" W x 23" D x 10" H, 400 CFM, Stainless; LED Lighting, Baffle Filter	47	\$729.00	\$659.00

### ACCESSORIES

<b>KIT02770</b>	(EXXRCK10)	Recirculating Kit (For 30" and 36", contains 2 round carbon filters & cabinet grate)	1.9	\$41.00	\$37.00
<b>KIT0185097</b>		Electronic CFM Reduction Kit (achieves < 300 CFM)	0.5	\$39.00	\$35.00

## TT

The ultra slim design of TT hides quietly within cabinetry and extends less than 2” below the edge. When called to action, the horizontal visor effortlessly pulls out to provide added air capture during cooking. The 24” wide TT is ideal for smaller kitchens or where under-cabinet space is limited, however, the 400 CFM blower provides more than adequate power for everyday cooking. The 3 speed blower and halogen lighting are operated with modern electronic touch controls, which are out-of-sight and behind the visor when idle. Clean up is literally a snap with dishwasher-safe anodized aluminum mesh filters. TT is designed for either ducted or recirculating installations. The recirculating kit is available as an accessory



### FEATURES

- 24”, 30” and 36” Wide Under-Cabinet Hood
- Stainless steel
- Hidden Electronic Touch Controls
- 2, 20 W Halogen Lamp (Bulb included)
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 400 CFM, 3-Speed Internal
- Blower Performance Speed 1, 160 CFM, 1.5 Sones
- Speed 2, 280 CFM, 3.1 Sones
- Speed 3, 400 CFM, 5.9 Sones
- 2, Dishwasher-Safe, Anodized Aluminum Mesh
- 6” Round, (Non return valve included)
- 120V-60Hz

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ETT424S1</b>	23 9/16”W x 12” to 18” D x 1 9/16” H 400 CFM, Stainless Steel, LED Lights	26	\$799.00	\$729.00
<b>ETT430SS</b>	30 ”W x 12” to 18” D x 1 9/16” H 400 CFM, Stainless Steel, LED Lights	29	\$829.00	\$759.00
<b>ETT436SS</b>	35 3/8 ”W x 12” to 18” D x 1 9/16” H 400 CFM, Stainless Steel, LED Lights	33	\$879.00	\$799.00

### ACCESSORIES

<b>CFC0038668</b>	Recirculating Kit (contains 2 round carbon filters)	1	\$29.00	\$26.00
<b>DF01EA</b>	6” Round plastic deflector (optional recirculation component)	0.2	\$6.00	\$5.00
<b>KIT02748</b>	CFM Reduction Kit (achieves < 300 CFM)	1	\$65.00	\$59.00

# MODENA

Modena offers a classic designer chimney appearance for under-cabinet installations, with a striking 9” high pyramid shape. Modena includes a 520 CFM blower, which provides sufficient ventilating power for most kitchens. Also included are dishwasher safe filters and easy to use multi-function electronic controls. Available in 30” or 36” width, and designed for standard ducted installation, Modena can also be installed as a recirculating system using the Recirculating Kit, available as an accessory. For design versatility to suit almost any kitchen.



## FEATURES

- 30” or 36” Wide, Under-Cabinet, Stainless Steel Hood
- 520 CFM, 4-Speed Internal Blower
- Dishwasher-Safe Filters (2 with 30” Unit, 3 with 36” Unit)
- Black glass touch display
- Hush sound suppression
- Ducted or Recirculating Installation
- Duct Transition: 3 1/4” x 10” (Top or Rear)
- AC Input: 120V, 60Hz - Max Power: 550W at 4.6 Amps
- LED lights; heat guard sensor
- CRS (CFM reduction system)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EMD530S3</b>	30” W x 19 5/8” D x 10 1/8” H, Stainless & Black Glass	43	\$969.00	\$879.00
<b>EMD536S3</b>	36” W x 19 5/8” D x 10 1/8” H, Stainless & Black Glass	46.5	\$1,049.00	\$959.00

ACCESSORIES				
<b>KIT02667</b>	Recirculating Kit (For 30” and 36”, Contains 2 Round Carbon Filters)	0.5	\$40.00	\$37.00

# CERVINIA

Available in 30" and 36" widths and only 11 1/32" tall, the Cervinia is a streamlined version of the full-size Calabria model and comes unbranded for easy coordination with other appliances. Cervinia features professional styling, seamless welded corner craftsmanship, a powerful 600 CFM blower with professional stainless steel baffle filters, halogen lighting, plus rotating knob controls for convenience and safety. Cervinia is sure to deliver easy maintenance, higher efficiency and a cleaner kitchen. Cervinia is designed for standard ducted ventilation only.



## FEATURES

- 30" or 36" Wide, Wall-Mounted/Under Cabinet, Stainless Steel Hood
- LED Lights
- Illuminated SS Rotating Knobs
- 600 CFM, 4-Speed Internal Blower
- 2, Dishwasher-Safe, Stainless Steel Baffle Filters
- Ducted Installation Only
- Duct Transition: 3 1/4" x 10" (Top or Rear)
- AC Input: 120V - 60Hz, AC Power Max.: 550W at 4.6 Amps

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ECV630S3</b>	30" W x 23" D x 11 1/32" H, 600 CFM Stainless	59	\$1,369.00	\$1,249.00
<b>ECV636S3</b>	36" W x 23" D x 11 1/32" H, 600 CFM Stainless	67	\$1,429.00	\$1,299.00

ACCESSORIES				
<b>KIT02159</b>	Chimney Extension Kit 6" for 30" hood	8.5	\$239.00	\$219.00
<b>KIT02158</b>	Chimney Extension Kit 6" for 36" hood	11.5	\$269.00	\$249.00
<b>KIT02160</b>	Chimney Extension Kit 12" for 30" hood	15.2	\$399.00	\$359.00
<b>KIT02161</b>	Chimney Extension Kit 12" for 36" hood	18.3	\$429.00	\$389.00
<b>KIT02770</b>	Recirculating Kit (For 30" and 36", contains 2 round carbon filters & cabinet grate)	1.9	\$41.00	\$37.00
<b>KIT0142864</b>	SS Back Splash & Warming Rack 30"	26.5	\$639.00	\$579.00
<b>KIT0142867</b>	SS Back Splash & Warming Rack 36"	30.9	\$679.00	\$619.00
<b>KIT0154387</b>	Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE / REPLACE EXISTING BLOWER	54	\$979.00	\$889.00
<b>KIT0153054</b>	External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/ REPLACE EXISTING BLOWER	67	\$1,839.00	\$1,669.00
<b>KIT0185097</b>	Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm)	.05	\$39.00	\$35.00

# WALL MOUNT HOODS

## CALABRIA

For homeowners who are passionate about the culinary arts, the seamless welded corner craftsmanship, traditional styling and gleaming stainless steel of Calabria, provides the look and performance you expect from a professional-grade range hood plus it comes unbranded for easy coordination with other appliances. Calabria is available in 30", 36", 42", and 48" widths and equipped with a 600 CFM (30" and 36") or 1200 CFM blower (36", 42", 48") to support all cooking needs.

Calabria is designed for standard ducted ventilation only.



### FEATURES

- 30", 36", 42" or 48" Wide Wall-Mount
- Stainless Steel
- LED Lights
- Illuminated SS Rotating Knobs
- Ducted Installation Only
- 600 CFM, 4-Speed Internal (30", 36" Units)
- 1200 CFM, 4-Speed Internal (36", 42", 48" Units)
- Dishwasher-Safe, Professional Stainless Steel Baffle
- (2 w/ 30", 36", & 42"; 3 w/ 48" Units)
- 10" Round with Back Draft Damper (top or rear)
- 120V-60Hz
- 550 Watts at 4.6 Amps (600 CFM Blower)
- 800 Watts at 6.7 Amps (1200 CFM Blower)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ECL630S4</b>	30" W x 25" D x 18" H, 600 CFM, Stainless	85	\$1,669.00	\$1,519.00
<b>ECL636SS</b>	36" W x 25" D x 18" H, 600 CFM, Stainless	92	\$1,809.00	\$1,649.00
<b>ECL136S4</b>	36" W x 25" D x 18" H, 1200 CFM, Stainless	97	\$1,949.00	\$1,769.00
<b>ECL142S4</b>	42" W x 25" D x 18" H, 1200 CFM, Stainless	111	\$2,079.00	\$1,889.00
<b>ECL148S4</b>	48" W x 25" D x 18" H, 1200 CFM, Stainless	130	\$2,199.00	\$1,999.00

**CALABRIA (CONTINUED)**

<b>ACCESSORIES</b>				
<b>MODEL</b>	<b>DESCRIPTION</b>	<b>WEIGHT</b>	<b>RETAIL</b>	<b>MAP</b>
<b>KIT02159</b>	6" Tall Chimney Extension Kit for 30" Hood	8.5	\$239.00	\$219.00
<b>KIT02158</b>	6" Tall Chimney Extension Kit for 36" Hood	11.5	\$269.00	\$249.00
<b>KIT02622</b>	6" Tall Chimney Extension Kit for 42" Hood	14.8	\$299.00	\$269.00
<b>KIT02164</b>	6" Tall Chimney Extension Kit for 48" Hood	17.7	\$329.00	\$299.00
<b>KIT02160</b>	12" Tall Chimney Extension Kit for 30" Hood	15.2	\$399.00	\$359.00
<b>KIT02161</b>	12" Tall Chimney Extension Kit for 36" Hood	18.3	\$429.00	\$389.00
<b>KIT02623</b>	12" Tall Chimney Extension Kit for 42" Hood	20.2	\$469.00	\$429.00
<b>KIT02165</b>	12" Tall Chimney Extension Kit for 48" Hood	28.7	\$479.00	\$439.00
<b>KIT0155106</b>	Heat Lamp Kit w/ 2 - 175W bulbs for 30" Hood	15.5	\$339.00	\$309.00
<b>KIT0155107</b>	Heat Lamp Kit w/ 2 - 175W bulbs for 36" Hood	16	\$359.00	\$329.00
<b>KIT0155110</b>	Heat Lamp Kit w/ 2 - 175W bulbs for 42" Hood	17.2	\$369.00	\$339.00
<b>KIT0155111</b>	Heat Lamp Kit w/ 2 - 175W bulbs for 48" Hood	18.2	\$379.00	\$349.00
<b>KIT0142864</b>	Stainless Back Splash and Warm Racks 30"	26.5	\$639.00	\$579.00
<b>KIT0142867</b>	Stainless Back Splash and Warm Racks 36"	30.9	\$679.00	\$619.00
<b>KIT0142868</b>	Stainless Back Splash and Warm Racks 42"	30.9	\$699.00	\$639.00
<b>KIT0142870</b>	Stainless Back Splash and Warm Racks 48"	39.7	\$819.00	\$749.00
<b>KIT0154387</b>	Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE /REPLACE EXISTING BLOWER	54	\$979.00	\$889.00
<b>KIT0153054</b>	External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER	67	\$1,839.00	\$1,669.00
<b>KIT0179549</b>	Remote Inline Blower Shell Kit - 8" or 10" duct size compatible USE WITH 600 or 1200 CFM BLOWER MODELS (internal, external, inline)	54	\$549.00	\$499.00
<b>KIT0179547</b>	Remote External Blower Shell Kit - 8" or 10" duct size compatible (304 stainless) USE WITH 1200 CFM BLOWER MODELS (internal, external, inline)	67	\$829.00	\$749.00
<b>KIT0185752</b>	Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0185099</b>	Electronic CFM Reduction Bypass KIT for 1200 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0192765</b>	Recirculation Filters - Contains 4 round carbon filters	3	\$39.00	\$36.00
<b>KIT0192763</b>	Recirculation Grate/Deflector - Contains one round metal grate/deflector for 8" duct size only	5	\$39.00	\$36.00
<b>ACC0185271</b>	Transition Reducer Kit (10" round down to 8" round - attaches to 10" round transition supplied w/ hood)	1	\$32.00	\$29.00

# POTENZA

Potenza combines curved glass and stainless steel to create a light and airy environment, which is perfect for any contemporary kitchen. The flowing design is either 30" or 36" widths and comes equipped with a powerful 400 CFM blower that can support the cooking demands of most kitchens. Stainless steel look, multiple back-lit color touch controls illuminate in elegant white, green, blue or red and manage multiple functions including LED lighting and 4 speed blower. Multiple clicking sound options are also available.

Potenza features a telescopic chimney for up to 8'5" ceilings. Designed for standard ducted installation, Potenza can also be installed as a recirculating system using the recirculating kit, available as an accessory.



## FEATURES

- 30" or 36" Wide Wall-Mount Chimney
- Stainless Steel + Clear Glass
- LED Lights
- Electronic Touch Controls
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 400 CFM
- 1, Dishwasher-Safe, Anodized Aluminum Mesh Grease Filter
- For heights 6'8" - 8'8" (ducted)
- For heights 7'0" - 9'0" (recirculating)
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 300 Watts at 2.5 Amps

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EPT430S3</b>	30" W x 19 11/16" D x 1 15/16" H, 400 CFM, SS + Clear Glass; 4 Speed, Electronic Touch Push Buttons; CFM Reduction System	48	\$629.00	\$569.00
<b>EPT436S3</b>	36" W x 19 11/16" D x 1 15/16" H, 400 CFM, SS + Clear Glass; 4 Speed, Electronic Touch Push Buttons; CFM Reduction System	51	\$699.00	\$639.00
ACCESSORIES				
<b>KIT0102875</b>	Recirculating Kit for 30" and 36", contains 6" Deflector, 3 flat Carbon Filters & Clips	6.6	\$99.00	\$89.00
<b>KIT0100315</b>	Chimney Extension Kit - Reaches 8'5" - 12'1" (ducted), 9'2" - 12'5" (recirculating)	26	\$329.00	\$299.00
<b>KIT01609/1</b>	Chimney Extension Kit - Reaches 7'5" - 10'3" (ducted), 8'2" - 10'11" (recirculating)	20	\$219.00	\$199.00
<b>GF04YB</b>	Stainless Steel Microhole Filter	1	\$30.00	\$28.00



# VOLTERRA

Volterra with its pyramid shaped angles and stainless steel finish make it a visually striking statement to any kitchen. Available in 24" 30" or 36" widths, Volterra features stainless steel push button controls that manage multiple functions and an internal 3-speed blower.

Volterra features a telescopic chimney for ducted installations. Designed for standard ducted installation Voltterra can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



## FEATURES

- 24", 30" and 36" Wide, Wall Chimney Mounted Hoods
- 400 CFM
- LED Lights
- Filter Saturation Alarms (Grease & Charcoal)
- Heat Guard
- Dishwasher Safe Anodized Aluminum Mesh Filter
- Duct Transition - 6" Round
- Can reach ceiling heights of 7' 5" - 9'1" (ducted), 7'5" - 9'6" (recirculating)
- Power Supply - Junction Box 120V - 60Hz, AC Power Max: 300W at 2.5 Amps
- APPROVALS - UL, CUL

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EVL424SS</b>	24" W x 19 11/16" D x 10 1/4" H, 400 CFM, Stainless; 3 Speed, Electronic Silver Push Button w/ White Backlit Controls	37	\$589.00	\$539.00
<b>EVL430S2</b>	30" W x 19 11/16" D x 10 1/4" H, 400 CFM, Stainless; 3 Speed, Electronic Silver Push Button w/ White Backlit Controls	39	\$619.00	\$559.00
<b>EVL436S2</b>	36" W x 19 11/16" D x 10 1/4" H, 400 CFM, Stainless; 3 Speed, Electronic Silver Push Button w/ White Backlit Controls	42	\$679.00	\$619.00
ACCESSORIES				
<b>KIT02766</b>	Recirculating Kit (30" and 36", contains 2 round carbon filters and 6" deflector)	6.6	\$149.00	\$139.00
<b>KIT02762</b>	Chimney Extension Kit - Reaches 8'5" - 11'3" (ducted), 8'6" - 11'7" (recirculating)	12	\$239.00	\$219.00
<b>KIT0175561</b>	Electronic CFM Reduction Kit (achieves <300 CFM) FOR S2 MODELS ONLY	0.5	\$39.00	\$35.00
<b>GF04YB</b>	Stainless Steel Microhole Filter	1	\$30.00	\$28.00

# TOBLINO

Toblino with its super sleek hood design that's only 2" high is the perfect complement to modern kitchen designs that often feature futuristic products with sharp architectural lines. Available in 24" 30" or 36" widths, Toblino features durable controls which allow for easy adjustment of blower speeds and dual lamps. Toblino features a telescopic chimney. Designed for standard ducted installation, Toblino can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



## FEATURES

- 24" 30" or 36" Wide Wall-Mount Chimney
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 400 CFM
- Dishwasher-Safe, Anodized Aluminum Mesh Grease
- (2 w/ 30", 3 w/ 36")
- For heights 6'9" - 8'10" (ducted)
- For heights 7'1" - 9'2" (recirculating)
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 300 Watts at 2.5 Amps

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ETB424SS</b>	24" W x 19 11/16" D x 1 9/16" H, 400 CFM, Stainless; 3 Speed Electronic Silver Push Button w/ WHITE Illumination Controls	45	\$679.00	\$619.00
<b>ETB430S3</b>	30" W x 19 11/16" D x 1 9/16" H, 400 CFM, Stainless; 4 Speed Electronic Touch Button Controls; CFM Reduction System	53	\$739.00	\$669.00
<b>ETB436S3</b>	36" W x 19 11/16" D x 1 9/16" H, 400 CFM, Stainless; 4 Speed Electronic Touch Button Controls; CFM Reduction System	56	\$799.00	\$729.00

## ACCESSORIES

<b>KIT0102875</b>	Recirculating Kit for 30" and 36" , contains 6" deflector, 3 flat carbon filters & clips	6.6	\$99.00	\$89.00
<b>KIT01935</b>	Chimney Extension Kit - Reaches 7'5" - 10'5" (ducted), 7'9" - 10'9" (recirculating)	18	\$139.00	\$129.00
<b>KIT02785</b>	Chimney Extension Kit - Reaches 8'5" - 12'1" (ducted), 8'9" - 12'5" (recirculating)	27	\$239.00	\$219.00
<b>KIT0175561</b>	Electronic CFM Reduction Kit (achieves <300 CFM) FOR S2 MODELS ONLY	0.5	\$39.00	\$35.00
<b>GF04YB</b>	Stainless Steel Microhole Filter	1	\$30.00	\$28.00

# BOLSENA



## FEATURES

- 600 CFM
- 4-speed
- Electronic Touch Buttons with adjustable color illumination
- 6" round
- Dishwasher Safe Anodized Aluminum Mesh (2 w/ 30", 3 w/ 36")
- HUSH Sound Suppression
- CRS (CFM Reduction System) achieves < 300 cfm
- Reaches ceiling heights 7'5" - 9'1" (ducted), 7'5" - 9'6" (recirculating)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EBS630SS</b>	30" W x 19 11/16" D x 10 1/4" H, Stainless	40	\$769.00	\$699.00
<b>EBS636SS</b>	36" W x 19 11/16" D x 10 1/4" H, Stainless	43	\$829.00	\$759.00

## ACCESSORIES

<b>KIT02766</b>	Recirculating Kit (30" and 36", contains 2 round carbon filters and 6" deflector)	6.6	\$149.00	\$139.00
<b>KIT02762</b>	Chimney Extension Kit - Reaches ceiling heights 8'5" - 11'3" (ducted), 8'6" - 11'7" (recirculating)	12	\$239.00	\$219.00

# VARNA

The clean lines, beautifully sloping angles and stainless steel finish of Varna make a striking visual statement. Available in 30" or 36" width, Varna features include a powerful 600 CFM blower, dishwasher-safe stainless steel microhole filters and multi-function electronic controls with glass touch display that deliver convenience and safety.

Designed for standard ducted installation, Varna can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



## FEATURES

- 30" or 36" Wide, Wall-Mounted, Stainless Steel, Chimney Hood
- Programable Multi-Function Electronic Touch Controls
- 600 CFM, 4-Speed Internal Blower
- Dishwasher-Safe, Stainless Steel Microhole Filters (2 w/ 30", 3 w/ 36")
- Ducted or Recirculating Installation
- Duct Transition: 6" Round: Backdraft Damper Included
- AC Input: 120V - 60Hz, AC Power Max.: 550W at 4.6 Amps
- CRS (CFM reduction system)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EVR630BL</b>	30" W x 19 11/16" D x 10 1/4" H, 600 CFM Black Stainless & Black Glass	43	\$1,149.00	\$1,049.00
<b>EVR630S2</b>	30" W x 19 11/16" D x 10 1/4" H, 600 CFM Stainless & Black Glass	43	\$1,039.00	\$949.00
<b>EVR636BL</b>	36" W x 19 11/16" D x 10 1/4" H, 600 CFM Black Stainless & Black Glass	46	\$1,229.00	\$1,119.00
<b>EVR636S2</b>	36" W x 19 11/16" D x 10 1/4" H, 600 CFM Stainless & Black Glass	46	\$1,119.00	\$1,019.00

## ACCESSORIES

<b>KIT02766</b>	Recirculating Kit (For 30" and 36", contains 6" Deflector and 2 Round Carbon Filters)	6.6	\$149.00	\$139.00
<b>KIT02762</b>	Chimney Extension Kit - Reaches 8'5" - 11'3" (ducted), 8'6" - 11'7" (recirculating) for SS Models Only	12	\$239.00	\$219.00
<b>KIT0140998</b>	Chimney Extension Kit - Reaches 8'5" - 11'3" (ducted), 8'6" - 11'7" (recirculating) for BLACK Models Only	12	\$269.00	\$249.00

# PILATO

The rounded front, beautifully sloping angles and stainless steel finish of Pilato make a striking visual statement. Available in 30" or 36" widths, Pilato features include a powerful 600 CFM blower, halogen lighting with 2 light intensities, dishwasher-safe stainless steel microhole filters and multi-function electronic controls with LCD display that deliver convenience and safety. Designed for standard ducted installation, Pilato can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



	Sound/Sones	Airflow/CFM
Speed 1	1.7	160
Speed 2	3.3	280
Speed 3	6.0	475
Speed 4	8.2	600

## FEATURES

- 30" or 36" Wide Wall-Mount Chimney
- Stainless Steel
- Multi-function electronic with LCD display
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 600 CFM, 4-Speed Internal
- Dishwasher-Safe, Stainless Steel Micro Hole (2 w/ 30", 3 w/ 36")
- For heights 7'5" - 9'6" (ducted)
- For heights 7'9" - 9'10" (recirculating)
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 490 Watts at 4.1 Amps

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EPL630S2</b>	30"W x 21 1/2"D x 10 1/4" H, 600 CFM, Stainless, LED Lighting	46	\$879.00	\$799.00
<b>EPL636S2</b>	36"W x 21 1/2"D x 10 1/4" H, 600 CFM, Stainless, LED Lighting	50	\$939.00	\$849.00

ACCESSORIES				
<b>KIT02766</b>	Recirculating Kit (For 30" and 36", contains 6" Deflector, 2 Round Carbon Filters)	6.6	\$149.00	\$139.00
<b>KIT02762</b>	Chimney Extension Kit - Reaches 8'5" - 11'3" (ducted), 8'7" - 11'7" (recirculating)	12	\$239.00	\$219.00

# FOGLIA

Foglia features a gently arched front that softens the units profile and provides an angled panel for easy access to the controls. Available in 30" & 36" widths, Foglia includes a powerful 600 CFM blower, filters and multi-function electronic controls with glass touch display that delivers convenience and safety. Designed for standard ducted installation, Foglia can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.

## FEATURES

- 30" or 36" Wide Wall-Mount Chimney
- Stainless Steel
- LED Lights
- Black glass Touch Display
- Multi-function electronic display
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 600 CFM, 4-Speed Internal
- Dishwasher-Safe SS micro hole filters (2 w/ 30", 3 w/ 36")
- For heights 7'5" - 9'5" (ducted)
- For heights 7'9" - 9'9" (recirculating)
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 490 Watts at 4.1 Amps
- CRS (CFM reduction system)



MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EFG630S1</b>	30" W x 20" D x 10" H, 600 CFM Stainless & Black Glass	45	\$1,079.00	\$979.00
<b>EFG636S1</b>	36" W x 20" D x 10" H, 600 CFM Stainless & Black Glass	48	\$1,139.00	\$1,039.00

ACCESSORIES				
<b>KIT02766</b>	Recirculating Kit (For 30" and 36", contains 6" Deflector and 2 Round Carbon Filters)	6.6	\$149.00	\$139.00
<b>KIT02784</b>	Chimney Extension Kit - Reaches 8'5" - 11'3" (ducted), 8'7" - 11'7" (recirculating)	12	\$229.00	\$209.00

# COMO

Como combines arched glass wings and stainless steel to create a light and airy environment...the perfect centerpiece for any contemporary kitchen. This gently flowing design is powered by a 600 CFM blower that can handle the demands generated by today's cooktops. The multi-function electronic controls with glass touch display, 4-speed, 600 CFM blower and even has a sensor that tells you when to clean your dishwasher-safe filter.

Designed for standard ducted installation, Como can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



## FEATURES

- 30" or 36" Wide, Wall-Mounted, Stainless Steel & Black Glass, Chimney Hood
- Multi-Function Electronic Touch Controls
- 600 CFM, 4-Speed Internal Blower
- Dishwasher-Safe micro hole filter
- Ducted or Recirculating Installation
- Telescopic Chimney Extension - 7' 5" to 10'5" (ducted)
- For heights 7'9" - 10'9" (recirculating)
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 490W at 4.1 Amps
- LED Lights
- CRS (CFM reduction system)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ECM630S3</b>	30" W x 19 11/16" D x 1 15/16" H, 600 CFM SS / Black Glass + Clear Glass Canopy	56	\$1,229.00	\$1,119.00
<b>ECM636S3</b>	36" W x 19 11/16" D x 1 15/16" H, 600 CFM SS / Black Glass + Clear Glass Canopy	59	\$1,289.00	\$1,169.00

ACCESSORIES				
<b>KIT02721A</b>	Recirculating Kit (for 30" and 36", contains 6" Deflector and 2 Round Carbon Filters)	6	\$99.00	\$89.00
<b>KIT0100315</b>	Chimney Extension Kit - Reaches 8'5" - 12'1" (ducted), 9'2" - 12'5" (recirculating)	20	\$329.00	\$299.00

# MEZZANO

With a “minimalist” hood design that’s only 2” high, the stainless steel Mezzano is in step with today’s world of flat-panel TVs and other futuristic products with clean, architectural lines. Mezzano features include a powerful 600 CFM blower, filters and multi-function electronic controls with display that deliver convenience and safety.

Designed for standard ducted installation, Mezzano can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



## FEATURES

- 30” or 36” Wide Wall-Mount Chimney
- Stainless Steel
- Multi-function electronic display
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 600 CFM, 4-Speed Internal
- Dishwasher-Safe, micro hole filters
- For heights 7’5” - 10’5” (ducted)
- For heights 7’9” - 10’9” (recirculating)
- 6” Round with Back Draft Damper (top)
- 120V-60Hz
- 490 Watts at 4.1 Amps
- LED Lights on “S3” models.
- CRS (CFM reduction system)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EMZ630S3</b>	30” W x 19 11/16” D x 2 3/8” H, 600 CFM, Stainless & Black Glass	64	\$1,369.00	\$1,249.00
<b>EMZ636S3</b>	36” W x 19 11/16” D x 2 3/8” H, 600 CFM, Stainless & Black Glass	68	\$1,439.00	\$1,309.00

## ACCESSORIES

<b>KIT0102875</b>	Recirculating Kit (For 30” and 36”, contains 6” deflector, 3 flat Carbon Filters and Clips)	6.6	\$99.00	\$89.00
<b>KIT02785</b>	Chimney Extension Kit - Reaches 8’6” - 12’2” (ducted), 8’10” - 12’6” (recirculating)	20	\$239.00	\$219.00



# LUGANO

With Lugano, a gently tapered stainless steel canopy that measures only 5" high, conveys understated elegance. Available in 30" or 36" widths, Lugano features include a powerful 600 CFM blower, filters and a multi-function electronic control with glass touch display that delivers convenience and safety. Designed for standard ducted installation, Lugano can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



## FEATURES

- 30" or 36" wide Wall-Mount Chimney
- Noise (sones): Min: 2.03, Max: 8 Sones
- Stainless Steel with Black Glass
- LED Lights
- Black glass Touch Display
- Ducted or Recirculating with Installation Kit (sold separately)
- Speed 1: 160 CFMs
- Speed 2: 280 CFMs
- Speed 3: 470 CFMs
- Speed 4: 600 CFMs
- Duct Transition - Top Round 6"
- Aluminum Mesh Filter + Perimeter Aspiration
- 120V - 60 Hz
- 460 Watt at 3.7 Amp
- CRS (CFM reduction system)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ELG630S3</b>	30" W x 19 11/16" D x 5" H. SS w/ 600 CFM Black Glass Display, Low Profile Canopy	58	\$1,369.00	\$1,249.00
<b>ELG636S3</b>	36" W x 19 11/16" D x 5" H. SS w/ 600 CFM Black Glass Display, Low Profile Canopy	60	\$1,509.00	\$1,369.00

ACCESSORIES				
<b>KIT0141925</b>	Recirculating Kit for 30" and 36", contains 6" Deflector and 4 Flat Carbon Filters and Clips	6.6	\$99.00	\$89.00
<b>KIT01935</b>	Chimney Extension Kit - Reaches 7'9" - 10'9" (ducted), 8'1" - 11'1" (recirculating)	18	\$139.00	\$129.00
<b>KIT02785</b>	Chimney Extension Kit - Reaches 8'8" - 12'4" (ducted), 9'0" - 12'8" (recirculating)	20	\$239.00	\$219.00

# STONEY

The pairing of glass and brilliant stainless steel, make it ideal for any kitchen and will blend perfectly with other appliances. Perimeter Aspiration technology helps to achieve Top Performance by delivering more powerful and efficient fume extraction, plus it reduces noise. Available in 30" & 36" widths, Stoney includes a powerful 600 CFM blower, LED lighting with dimmable feature and glass capacitive touch controls. Like all of the hoods in the Elica Stream line, Stoney is also meant for anyone who loves high-technological solutions, where Elica hoods and cooktops automatically communicate with one another, recognizing quality and quantity of cooking vapors, thus accordingly adjusting performance levels.



## FEATURES

- 30" or 36" wide Wall-Mount Chimney
- Stainless Steel with Black Glass
- Touch Control 3S+ Booster (sensor)
- 2 LED Premium Dimmable Lights
- Ducted or Recirculating with Installation Kit (sold separately)
- 600 CFM, 4-Speeds
- Duct Transition Top Round 6"
- 2 Aluminum Mesh Filter + Perimeter Aspiration
- 120V - 60 Hz
- 530 Watt at 4.4 Amp

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EST630SS</b>	30" W x 19 11/16" D x 5" H, 600 CFM, Stainless & Black Glass <b>PHASE OUT</b>	60	\$1,979.00	\$1,799.00
<b>EST636SS</b>	36" W x 19 11/16" D x 5" H, 600 CFM, Stainless & Black Glass <b>PHASE OUT</b>	63	\$2,089.00	\$1,899.00

## ACCESSORIES

<b>KIT0141925</b>	Recirculating Kit for 30" and 36", contains 6" Deflector and 4 flat Carbon Filters and Clips	6	\$99.00	\$89.00
<b>KIT01935</b>	Chimney Extension Kit - Reaches 7'9" - 10'9" (ducted), 8'1" - 11'1" (recirculating)	18	\$139.00	\$129.00
<b>KIT02785</b>	Chimney Extension Kit - Reaches 8'8" - 12'4" (ducted), 9'0" - 12'8" (recirculating)	20	\$239.00	\$219.00

# LEONE



## FEATURES

- 30", 36", 42" or 48" Wide Wall-Mount Chimney Stainless Steel
- Metallic illuminated rotating knob
- Ducted Installation Only
- 600 CFM, 4-Speed Internal (30", 36") 1200 CFM, 4-Speed Internal Blower (36", 42" & 48")

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ELN630S2</b>	30" W x 24" D x 12 1/8" H, 600 CFM, Stainless	70	\$1,629.00	\$1,479.00
<b>ELN636SS</b>	36" W x 24" D x 12 1/8" H, 600 CFM, Stainless	75	\$1,759.00	\$1,599.00
<b>ELN136S2</b>	36" W x 24" D x 12 1/8" H, 1200 CFM, Stainless	80	\$1,919.00	\$1,749.00
<b>ELN142S2</b>	42" W x 24" D x 12 1/8" H, 1200 CFM, Stainless	90	\$2,069.00	\$1,879.00
<b>ELN148SS</b>	48" W x 24" D x 12 1/8" H, 1200 CFM, Stainless	100	\$2,199.00	\$1,999.00

ACCESSORIES				
<b>KIT01935</b>	Chimney Extension Kit - Reaches 8'4" - 11'4" (over elect. cooking), 8'10" - 11'4" (over gas)	18	\$139.00	\$129.00
<b>KIT02785</b>	Chimney Ext Kit - Reaches 9'3" - 13'0" (over elect. cooking), 9'9" - 13'0" (over gas cooking)	27	\$239.00	\$219.00
<b>KIT0154387</b>	Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER	54	\$979.00	\$889.00
<b>KIT0153054</b>	External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER	67	\$1,839.00	\$1,669.00
<b>KIT0179549</b>	Remote Inline Blower Shell Kit - 8" or 10" duct size compatible USE WITH 600 OR 1200 CFM BLOWER MODELS (internal, external, inline)	54	\$549.00	\$499.00
<b>KIT0179547</b>	Remote External Blower Shell Kit - 8" or 10" duct size compatible (304 stainless) USE WITH 1200 CFM BLOWER MODELS (internal, external, inline)	67	\$829.00	\$749.00
<b>KIT0185752</b>	Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0185099</b>	Electronic CFM Reduction Bypass KIT for 1200 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0192765</b>	Recirculation Filters - Contains 4 round carbon filters	3	\$39.00	\$36.00
<b>KIT0192759</b>	Recirculation Deflector - Contains one deflector for 8" ducting	5	\$37.00	\$33.00
<b>BH01UB</b>	6" Round Transition Kit - Replaces 8" transition supplied w/hood. For use with 600 cfm models ONLY.	1	\$14.00	\$13.00

# VAVANO

Give a splash of Italian design to your professional kitchen with Vavano's crisp lines, seamless welded corner craftsmanship, beveled rim and gleaming stainless steel. No ear plugs required with Vavano's HUSH sound suppression system, which enables you to comfortably talk and entertain, even when cooking up a storm.

Available in 36" and 48" widths, Vavano features backlit hidden knob controls, which operate the 4-speed blower and LED lighting. Easy maintenance and a cleaner kitchen are assured with professional stainless steel angled baffle filters.



## FEATURES

- 36" or 48" wide Wall Chimney
- Stainless Steel
- IN/OUT Backlit Knob
- 2 LED 7.5 watts LED light, replaceable lamps (1 intensity)
- Ducted Installation Only
- Speed 1, 202 CFMs
- Speed 2, 350 CFMs
- Speed 3, 510 CFMs
- Speed 4, 600 CFMs
- Dishwasher-Safe, Professional Stainless Steel, Angled Baffle Filters 2(36" Unit) 3(48" Unit)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EVV636S1</b>	36" W x 24" D x 5" H, 600 CFM, Stainless	70	\$2,089.00	\$1,899.00
<b>EVV648S1</b>	48" W x 24" D x 5" H, 600 CFM, Stainless	90	\$2,249.00	\$2,049.00

ACCESSORIES				
<b>KIT0146881</b>	Chimney Ext Kit - Reaches 9'0" - 13'6" (over elect. cooking), 9'6" - 13'6" (over gas cooking)	27	\$399.00	\$359.00
<b>KIT0154387</b>	Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER	54	\$979.00	\$889.00
<b>KIT0153054</b>	External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER	67	\$1,839.00	\$1,669.00
<b>KIT0185752</b>	Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>BH01UB</b>	6" Round Transition Kit - Replaces 8" transition supplied w/hood. For use with 600 cfm models ONLY.	1	\$14.00	\$13.00
<b>KIT0179549</b>	Remote Inline Blower Shell Kit - 8" or 10" duct size compatible USE WITH 600 or 1200 CFM BLOWER MODELS (internal, external, inline)	54	\$549.00	\$499.00

# HAIKU

THE ONLY SYSTEM WITH ADJUSTABLE DEPTH. Harmony and simplicity. The aesthetic linearity can be seen in the cast iron effect aluminium grilles, which strongly characterize the product. They are easy to remove and are equipped with a blocking system designed to avoid accidental falls.



## FEATURES

- WIDTH - 24", 36", 48"
- EXTRACTION CAPACITY - 600 CFM

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EHK613SS</b>	12 1/2" W x 12.5" - 15" D Stainless	75	\$1,639.00	\$1,489.00
<b>EHK624SS</b>	23 1/2" W x 12.5" - 15" D x 3 1/8" H, Stainless	78	\$1,879.00	\$1,709.00
<b>EHK636SS</b>	35 3/8" W x 12.5" - 15" D x 3 1/8" H, Stainless	85	\$2,129.00	\$1,939.00
<b>EHK648SS</b>	47 1/8" W x 12.5" - 15" D x 3 1/8" H, Stainless	96	\$2,389.00	\$2,169.00
<b>EHK636WH</b>	35 3/8" W x 12.5" - 15" D x 3 1/8" H, White Krion	91	\$2,249.00	\$2,049.00
<b>EHK636BL</b>	35 3/8" W x 12.5" - 15" D x 3 1/8" H, Ultra Transparent Black Glass	93	\$2,249.00	\$2,049.00

## ACCESSORIES

<b>CFC0141725AUL</b>	Recirculation Carbon Filter - contains (1) Long Life Filter. Deflector included with hood.	1	\$99.00	\$89.00
----------------------	--	---	---------	---------

# ISLAND HOODS

## CINGOLI

Designed to be suspended above a kitchen island, Cingoli takes flight with graceful 36" or 42" arched glass wings, which allow natural light to illuminate the surface below. The expansive glass wings are complemented by reflective stainless steel. The beauty of Cingoli is combined with features like a powerful 600 CFM blower, dishwasher-safe filter and multi-function electronic controls deliver convenience and safety. Designed for standard ducted installation, Cingoli can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



### FEATURES

- 36" or 42" Wide Island
- Stainless Steel + Clear Glass
- Multi-function electronic display
- Ducted or Recirculating Installation
- LED Lights
- Black glass Touch Display
- Recirculating Kit Sold Separately
- 600 CFM, 4-Speed Internal
- 1, Dishwasher-Safe filter
- For heights 7'5" - 10'2" (ducted)
- For heights 7'9" - 10'6" (recirculating)
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 530 Watts at 4.4 Amps
- CRS (CFM reduction system)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ECN636S3</b>	36" W x 25 3/16" D x 1 15/16" H, 600 CFM, SS & Black Glass/Clear Glass Canopy	97	\$1,699.00	\$1,549.00
<b>ECN642S3</b>	42" W x 25 3/16" D x 1 15/16" H, 600 CFM, SS & Black Glass/Clear Glass Canopy	104	\$1,839.00	\$1,669.00

ACCESSORIES				
<b>KIT02665</b>	Recirculating Kit (For 36" & 42", contains 6"/8" Deflector and 2 round Carbon Filters)	8	\$229.00	\$209.00
<b>KIT0100317</b>	Chimney Extension Kit - Reaches 8'9" - 12'7" (ducted), 9'2" - 12'9" (recirculating)	53	\$659.00	\$599.00

# MAGGIORE

Maggiore offers a “minimalist” hood design that’s only 2 3/8” high and compliments the many futuristic products and clean architectural lines often seen in today’s modern home. Maggiore features include a powerful 600 CFM blower, LED lighting with 2 light intensities, stainless steel micro hole filters, high-tech multi-functional controls that deliver convenience and safety. Designed for standard ducted installation, Maggiore can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



## FEATURES

- 36” or 42” Wide Island
- Stainless Steel + black Glass
- Multi-function electronic display
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 600 CFM, 4-Speed Internal
- 1, Dishwasher-Safe filter
- For heights 7’8” - 10’5” (ducted)
- For heights 8’0” - 10’9” (recirculating)
- 6” Round with Back Draft Damper (top)
- 120V-60Hz
- 530 Watts at 4.4 Amps
- CRS (CFM reduction system)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EMG636S1</b>	36” W x 27”D x 2 3/8” H, 600 CFM Stainless & Black Glass	97	\$1,759.00	\$1,599.00
<b>EMG642S1</b>	42” W x 27”D x 2 3/8” H, 600 CFM Stainless & Black Glass	104	\$2,029.00	\$1,849.00

## ACCESSORIES

<b>KIT02665</b>	Recirculating Kit (For 36” & 42”, contains 6”/8” Deflector and 2 round Carbon Filters)	8	\$229.00	\$209.00
<b>KIT0100317</b>	Chimney Extension Kit - Reaches 8’9” - 12’8” (ducted), 9’2” - 12’9” (recirculating)	53	\$659.00	\$599.00



# SALICE

Salice conveys understated elegance with a gently tapered canopy that measures only 5" tall, which opens up the kitchen for entertainment and conversation. Available in 36" and 42" widths, Salice features a powerful 600 CFM blower, lighting with 2 light intensities, filters and multi-function electronic controls with glass touch display that deliver convenience and safety.

Designed for ducted installation, Salice can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.



ESL636S3 Shown

## FEATURES

- 36" or 42" Wide Island
- Stainless Steel
- Multi-function electronic with glass touch display
- LED Lights
- Ducted or Recirculating Installation Recirculating Kit Sold Separately
- 600 CFM, 4-Speed Internal
- Aluminum Mesh Filter + Perimeter Aspiration
- Telescopic Chimney Extension For heights 7'9" - 9'8" (ducted)
- For heights 8'0" - 10'0" (recirculating)
- Duct Transition 6" Round with Back Draft Damper (top)
- Electrical 120V-60Hz - 530 Watts at 4.4 Amps
- CRS (CFM reduction system)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ESL636S3</b>	36"W x 27"D x 5"H. 600 CFM Stainless Steel w/ Black Glass, Low Profile Canopy	100	\$1,759.00	\$1,599.00
<b>ESL642S3</b>	42"W x 27"D x 5"H 600 CFM Stainless Steel w/ Black Glass, Low Profile Canopy	109	\$2,029.00	\$1,849.00

ACCESSORIES				
<b>KIT0141924</b>	Recirculating Kit (For 36" & 42", contains 6" Deflector, 3 flat Carbon Filters and Clips)	8	\$229.00	\$209.00
<b>KIT0100317</b>	Chimney Extension Kit - Reaches 9'0" - 12'10" (ducted), 9'4" - 13'0" (recirculating)	53	\$659.00	\$599.00



# STONEY ISLAND

The pairing of glass and brilliant stainless steel, make it ideal for any kitchen and will blend perfectly with other appliances. Perimeter Aspiration technology helps to achieve Top Performance by delivering more powerful and efficient fume extraction, plus it reduces noise. Available in 30" & 36" widths, Stoney includes a powerful 600 CFM blower, LED lighting with dimmable feature and glass capacitive touch controls. Like all of the hoods in the Elica Stream line, Stoney is also meant for anyone who loves high-technological solutions, where Elica hoods and cooktops automatically communicate with one another, recognizing quality and quantity of cooking vapors, thus accordingly adjusting performance levels.



## FEATURES

- 36" or 42" Island Chimney Hood
- Stainless Steel with Black Glass
- Touch Control 3S+ Booster (sensor)
- 2 LED Premium Dimmable Lights
- Ducted or Recirculating with Installation Kit (sold separately)
- 600 CFM, 4-Speeds
- Duct Transition Top Round 6"
- 2 Aluminum Mesh Filter + Perimeter Aspiration
- 120V - 60 Hz
- 530 Watt at 4.4 Amp
- CRS (CFM reduction system)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ESI636SS</b>	36" W x 27" D x 5" H, 600 CFM, Stainless <b>DISCONTINUED WITH LIMITED AVAILABILITY</b>	103	\$2,389.00	\$2,169.00
<b>ESI642SS</b>	42" W x 27" D x 5" H, 600 CFM, Stainless <b>DISCONTINUED WITH LIMITED AVAILABILITY</b>	113	\$2,669.00	\$2,429.00

## ACCESSORIES

<b>KIT0141924</b>	Recirculating Kit (For 36" & 42", contains 6" Deflector, 3 flat Carbon Filters and Clips)	8	\$229.00	\$209.00
<b>KIT0100317</b>	Chimney Extension Kit - Reaches 9'0" - 12'10" (ducted), 9'4" - 13'0" (recirculating)	53	\$659.00	\$599.00

# LEONE ISLAND

Designed to support Island cooking, Leone Island delivers a splash of Italian design with the classic crisp lines of a chimney style hood, seamless welded corner craftsmanship, a beveled rim design and gleaming stainless steel plus the hood comes “unbranded”, for easy coordination with other appliances. Most importantly, Leone Island has the extra depth (27”) and power (1200 CFM) needed to support professional ranges and cooktops. No ear plugs required with Elica’s HUSH sound suppression system, which enables you to comfortably talk and entertain, even when cooking up a storm. Available in 36” and 42” widths, Leone Island features stainless rotating knob controls, which operate the 4-speed blower. Easy maintenance and a cleaner kitchen are ensured with professional stainless steel baffle filters. Leone Island is designed for standard ducted ventilation only.



## FEATURES

- 36” or 42” Wide Island
- Stainless Steel
- Stainless illuminated Rotating Knob
- Ducted Installation Only
- 1200 CFM, 4-Speed Internal
- 3, Dishwasher-Safe, Professional Stainless Steel Baffle
- For heights 8’3” - 10’0” (ducted)
- 8” Round with Back Draft Damper (top)
- 120V-60Hz
- 800 Watts at 6.7 Amps
- led lights, hush sound suppression

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ELI136S2</b>	36” W x 27” D x 12 3/4” H, 1200CFM, Stainless	119	\$2,459.00	\$2,239.00
<b>ELI142S2</b>	42” W x 27” D x 12 3/4” H, 1200 CFM, Stainless,	129	\$2,729.00	\$2,479.00

## ACCESSORIES

<b>KIT0100317</b>	Chimney Ext Kit - Reaches 9’7” - 13’6” (over elect. cooking), 10’1” - 13’6” (over gas cooking)	53	\$659.00	\$599.00
<b>KIT0179549</b>	Remote Inline Blower Shell Kit - 8” or 10” duct size compatible USE WITH 600 OR 1200 CFM BLOWER MODELS (internal, external, inline)	54	\$549.00	\$499.00
<b>KIT0179547</b>	Remote External Blower Shell Kit - 8” or 10” duct size compatible (304 stainless) USE WITH 1200 CFM BLOWER MODELS (internal, external, inline)	67	\$829.00	\$749.00
<b>KIT0185099</b>	Electronic CFM Reduction Bypass KIT for 1200 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0192765</b>	Recirculation Filters - Contains 4 round carbon filters	3	\$39.00	\$36.00
<b>KIT0192761</b>	Recirculation Deflector - Contains one deflector for 8” ducting	5	\$69.00	\$63.00

# VAVANO ISLAND

Available in 42" and 48" widths, Vavano Island comes equipped with a powerful 600 CFM internal blower and backlit hidden metallic in/out knobs, which operate the 4 speed blower and LED lighting.



## FEATURES

- 42" or 48" wide Island Hood
- Stainless Steel
- IN/OUT Backlit Knob
- 4 LED 7.5 watts LED light, replaceable lamps (1 intensity)
- Ducted Installation Only
- Speed 1, 205 CFMs
- Speed 2, 350 CFMs
- Speed 3, 510 CFMs
- Speed 4, 600 CFMs
- Dishwasher-Safe, Professional Stainless Steel, Angled Baffle Filters 3(42"/ 48" Units)
- Min: 3.21, Max: 7.7 Sones
- 8" Round with Back Draft Damper (top only)
- 120 Volts, 60 Hertz

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EVI642S1</b>	42" W x 24" D x 5" H, 600 CFM, Stainless,	119	\$2,519.00	\$2,289.00
<b>EVI648S1</b>	48" W x 24" D x 5" H, 600 CFM, Stainless,	129	\$2,969.00	\$2,699.00

ACCESSORIES				
<b>KIT0145610</b>	Chimney Ext Kit - Reaches 8'11" - 13'0" (over elect. cooking), 9'5" - 13'0" (over gas cooking)	53	\$859.00	\$779.00
<b>KIT0154387</b>	Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER	54	\$979.00	\$889.00
<b>KIT0153054</b>	External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER	67	\$1,839.00	\$1,669.00
<b>KIT0185752</b>	Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>BH01UB</b>	6" Round Transition Kit - Replaces 8" transition supplied w/hood. For use with 600 cfm models ONLY.	1	\$14.00	\$13.00
<b>KIT0179549</b>	Remote Inline Blower Shell Kit - 8" or 10" duct size compatible USE WITH 600 or 1200 CFM BLOWER MODELS (internal, external, inline)	54	\$549.00	\$499.00

# HAIKU ISLAND

Harmony and Simplicity. Elica introduces the FIRST chimney hood, with an adjustable depth that enables the hood to be mounted flush with various cabinetry depths, to create a fully integrated, seamless kitchen. The aesthetic is linear with crisp architectural lines, enhanced with uniquely rich finishes (ultra-transparent black glass, Kreon white or gleaming stainless steel) and is boldly accented with black aluminum grates that hide the grease filters. Haiku is equipped with a powerful 600 cfm blower and balanced with the Elica Deep Silence system so everyone can enjoy the conversation. Low energy strip LED lighting will illuminate the stove for safe cooking and set the right mood for your kitchen. 600 CFM



## FEATURES

- Dimensions: 12.5", 48", 70"
- Sones (noise): 1.8
- 600 CFM
- 5 Speed Internal Blower
- Electronic Sensitive Touch Levers w/ Illumination
- Strip LED Lighting
- Aluminum Mesh Filters

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EHI613SS</b>	12.5" W x 12 7/8" D Stainless	82	\$1,859.00	\$1,689.00
<b>EHI648SS</b>	47 1/8" W x 12 7/8" D x 3 1/8" H, Stainless	109	\$2,599.00	\$2,369.00
<b>EHI648BL</b>	47 1/8" W x 12 7/8" D x 3 1/8" H, Ultra Translucent Black Glass	121	\$2,739.00	\$2,489.00
<b>EHI648WH</b>	47 1/8" W x 12 7/8" D x 3 1/8" H, White Krion	118	\$2,739.00	\$2,489.00
<b>EHI670SS</b>	70 7/8" W x 12 7/8" D x 3 1/8" H, Stainless	126	\$3,079.00	\$2,799.00

## ACCESSORIES

<b>CFC0141725AUL</b>	Recirculation Carbon Filter - contains (1) Long Life Filter. Deflector included with hood.	1	\$99.00	\$89.00
----------------------	--	---	---------	---------

# EASY

Easy's brilliant glossy finish reflects the world around it like a kaleidoscope, and provides a powerful visual impact, while the modern, clean-lined definition makes it easily adaptable to a variety of styles and environments.

Many are misled by Easy's pendent light appearance, LED lighting and perimeter aspiration, but they are also pleased to find beyond its decorative qualities a highly functioning range hood hidden within.



## FEATURES

- 20" wide hanging installation
- Stainless steel
- Touch Control 3S+ Booster
- 3x2 LED 5W 4000K
- Recirculating
- 350 CFM
- Aluminum Mesh Filter + Perimeter Aspiration
- 220V - 60 Hz

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EES320SS</b>	20 1/4" W x 15 1/4" D x 15 1/4" H, 350 CFM Polished Stainless Steel	59	\$2,229.00	\$2,029.00
<b>EES320WT</b>	20 1/4" W x 15 1/4" D x 15 1/4" H, 350 CFM, White	59	\$2,229.00	\$2,029.00

ACCESSORIES				
<b>KIT0121394</b>	Wall Mounting Bracket	3	\$199.00	\$179.00
<b>KIT01921</b>	High Ceiling Extension Kit - Reaches 6' 10" - 23' 5"	1	\$219.00	\$199.00

Special Order - Longer Lead Time

# SEASHELL

Seashell is a hood characterized by its large dimensions, making it perfect for spacious island kitchens. Made from exclusive materials, it perfectly combines the functions of a hood, lamp and its perimeter aspiration offers benefits for the highest performance. In addition, its round shape and bright lights give it the appearance of a stylish pendant lamp.

The ideal complement for a refined and contemporary kitchen is Seashell, which has a remote control and is available in stainless steel.



## FEATURES

- 400 CFM\* (4 speed)
- Remote Control (Included)
- 4 strip Led +Led Disk
- Aluminium grease filter + Regenerable charcoal filter
- Recirculating
- Voltage: 120 volts; frequency: 60 Hz

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ESS432SS</b>	31 1/2"W x 31 1/2"D x 13 3/4"H, Mirror Stainless Steel	36	\$3,799.00	\$3,459.00

ACCESSORIES				
<b>KIT0067590</b>	High Ceiling Extension Kit Reaches up to 15'4"	4	\$199.00	\$181.00

Special Order - Longer Lead Time

# INSERTS

## ASTI

Asti is designed for discreet mounting inside cabinetry. At only 10 3/4" deep, Asti fits perfectly into 12" deep cabinetry and is ideal for kitchens where space is limited, or where the range hood needs to be out of sight. Asti comes equipped with a powerful 400 CFM blower that can handle most cooking needs.

Convenient stainless steel push button controls operate the 3 speed blower, while dishwasher safe anodized aluminum mesh filters offer easy maintenance. Asti is designed for standard ducted or recirculating installation.



### FEATURES

- 22", 28" and 30" Wide Insert
- Stainless Steel
- Stainless Steel Push Buttons on 30"
- Illuminated Push Buttons on 22" and 28" EAS428S1
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 400 CFM, 3-Speed Internal
- 2, Dishwasher-Safe, Anodized Aluminum Mesh Grease Filters
- SS Mesh Filter on 30"
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 340 Watts at 2.8 Amps
- LED Lights

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EAS328SS</b>	28 1/4" W x 10 3/4" D x 9 1/2" H, 300 CFM Stainless; 3 Speed	29	\$439.00	\$399.00
<b>EAS422SS</b>	22 1/4" W x 10 3/4" D x 9 1/2" H, 400 CFM, Stainless; 3 Speed, Electronic Silver Push Button w/ WHITE Illumination Controls	28	\$519.00	\$469.00
<b>EAS428S1</b>	28 1/4" W x 10 3/4" D x 9 1/2" H, 400 CFM Stainless; 3 Speed, Electronic Silver Push Button w/ WHITE Illumination Controls	30	\$549.00	\$499.00
<b>NOTE: LINERS WILL NOT FIT WITH EAS422SS OR EAS430SS</b>				
<b>EAS430SS</b>	30" W x 10 3/4" D x 9 1/2" H, 400 CFM Stainless	32	\$569.00	\$519.00

ACCESSORIES				
<b>KIT02773</b>	Hood Liner, 29" x 17 1/2" - 20 1/2" D x 4" H FOR USE WITH 28" MODELS ONLY	14.2	\$169.00	\$159.00
<b>KIT02774</b>	Hood Liner, 35" x 17 1/2" - 20 1/2" D x 4" H FOR USE WITH 28" MODELS ONLY	16	\$219.00	\$199.00
<b>KIT02770</b>	Recirculating Kit (contains 2 round carbon filters & cabinet grate)	1.9	\$41.00	\$37.00
<b>KIT0175561</b>	Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm) FOR EAS422SS, EAS428S1 AND EAS430SS	1	\$39.00	\$35.00

# PALERMO

Palermo provides professional grade performance, while it's 28 1/4" width and 10 3/4" depth enables it to be discreetly installed within standard 12" deep cabinetry, making it ideal for smaller kitchens or where the range hood needs to be out of sight. Palermo has a powerful 600 CFM blower to support most cooking needs. Stylish stainless steel push button controls operate a 3-speed blower. Easy maintenance, higher efficiency and a cleaner kitchen are ensured by Elica's patented Baffle Slot Filters, which capture a higher percentage of grease and hold larger volumes of grease than traditional baffle filters. Palermo is designed for standard ducted or recirculating installation.



## FEATURES

- 28" Wide Insert
- Stainless Steel
- LED lights
- Stainless Steel Push Button
- Ducted or Recirculating Installation
- Recirculating Kit Sold Separately
- 600 CFM, 3-Speed Internal
- 2, Dishwasher-Safe, Stainless Steel Baffle Slot
- 6" Round with Back Draft Damper (top)
- 120V-60Hz
- 260 Watts at 4.6 Amps

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EPR628S1</b>	28 1/4" W x 10 3/4" D x 9 1/2" H, 600 CFM, Stainless	32	\$929.00	\$849.00
<b>EPR634SS</b>	34 1/4" W x 10 3/4" D x 9 1/2" H, 600 CFM Stainless	35	\$989.00	\$899.00

## ACCESSORIES

<b>KIT02773</b>	Hood Liner, 29" x 17 1/2" - 20 1/2" D x 4" H FOR USE WITH EPR628S1 ONLY	14.2	\$169.00	\$159.00
<b>KIT02774</b>	Hood Liner, 35" x 17 1/2" - 20 1/2" D x 4" H FOR USE WITH EPR628S1 ONLY	16	\$219.00	\$199.00
<b>KIT02770</b>	Recirculating Kit (contains 2 round carbon filters & cabinet grate)	1.9	\$41.00	\$37.00
<b>KIT0175561</b>	Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00



# UMBRIA



## FEATURES

- 600 CFM
- 3-speed
- Stainless Steel Push Button
- Dishwasher-Safe Anodized Aluminum, Mesh Filter + Perimeter Aspiration
- 6" round (top)
- HUSH Sound Suppression
- Fully recesses into 12" cabinet

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EUM628SS</b>	28 1/4" W x 10 3/4" D x 14 9/16" H, Stainless	32	\$929.00	\$849.00
<b>EUM634SS</b>	34 1/4" W x 10 3/4" D x 14 9/16" H, Stainless	35	\$989.00	\$899.00

## ACCESSORIES

<b>KIT02773</b>	Hood Liner, 29" x 17 1/2" - 20 1/2" D x 4" H FOR USE WITH EUM628SS ONLY	14.2	\$169.00	\$159.00
<b>KIT02774</b>	Hood Liner, 35" x 17 1/2" - 20 1/2" D x 4" H FOR USE WITH EUM628SS ONLY	16	\$219.00	\$199.00
<b>KIT02770</b>	Recirculating Kit (Contains 2 Round Carbon Filters and cabinet grate)	1.9	\$41.00	\$37.00
<b>KIT0175561</b>	Electronic CFM Reduction Bypass KIT (achieves < 300 cfm)	1	\$39.00	\$35.00

# AREZZO

Arezzo provides professional grade performance, while being discreetly mounted inside the cabinetry. Arezzo is available in 28 1/2" and 34" width with a 600 CFM blower, and equipped with a 1200 CFM blower for widths of 34 1/2", 40 1/2" and 46 1/2" for extraordinary ventilating power. Rotating knob controls operate the 4 speed blower.

Easy maintenance, higher efficiency and a cleaner kitchen are ensured by Elica's patented Baffle Slot Filters, which capture a higher percentage of contaminants and hold larger volumes of grease than traditional baffle filters. Arezzo is designed for standard ducted installation only.



## FEATURES

- 28", 34", 40" or 46" Wide Insert
- Stainless Steel Illuminated Rotating Knobs
- Ducted Installation Only
- 600 CFM, 4-Speed Internal (28", 34" Unit)
- 1200 CFM, 4-Speed Internal (34", 40", 46" Units)
- Dishwasher-Safe, Stainless Steel Baffle Slot
- (2 w/ 28" Unit, 3 w/ 34" & 40" Units, 4 w/ 46" Unit)
- 10" Round with Back Draft Damper (top only)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EAR628S4</b>	28 1/2" W x 22" D x 11 7/8"H, 600 CFM, Stainless	57	\$1,299.00	\$1,179.00
<b>EAR634SS</b>	34 1/2" W x 22" D x 11 7/8"H, 600 CFM, Stainless	67	\$1,349.00	\$1,229.00
<b>EAR134S4</b>	34 1/2" W x 22" D x 11 7/8"H, 1200 CFM, Stainless	72	\$1,539.00	\$1,399.00
<b>EAR140S4</b>	40 1/2" W x 22" D x 11 7/8"H, 1200 CFM, Stainless	82	\$1,699.00	\$1,549.00
<b>EAR146S4</b>	46 1/2" W x 22" D x 11 7/8"H, 1200 CFM, Stainless	94	\$1,819.00	\$1,659.00

ACCESSORIES				
<b>KIT0154387</b>	Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER	54	\$979.00	\$889.00
<b>KIT0153054</b>	External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER	67	\$1,839.00	\$1,669.00
<b>KIT0179549</b>	Remote Inline Blower Shell Kit - 8" or 10" duct size compatible USE WITH 600 or 1200 CFM BLOWER MODELS (internal, external, inline)	54	\$549.00	\$499.00
<b>KIT0179547</b>	Remote External Blower Shell Kit - 8" or 10" duct size compatible (304 stainless) USE WITH 1200 CFM BLOWER MODELS (internal, external, inline)	67	\$829.00	\$749.00
<b>KIT0185752</b>	Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0185099</b>	Electronic CFM Reduction Bypass KIT for 1200 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0192765</b>	Recirculation Filters - Contains 4 round carbon filters	3	\$39.00	\$36.00
<b>KIT0192763</b>	Recirculation Grate/Deflector - Contains one round metal grate/deflector for 8" duct size only	5	\$39.00	\$36.00
<b>ACC0185271</b>	Transition Reducer Kit (10" round down to 8" round - attaches to 10" round transition supplied w/ hood)	1	\$32.00	\$29.00

# TRENTO



## FEATURES

- 600 CFM or 1200 CFM
- 4-speed
- Fully Recessing Stainless Rotating Knobs with Blue Illumination
- 10" round (top)
- 2 2.5 Watt LED Lamps, 1 intensity (bulbs included)
- 2 Professional Stainless Steel Baffle filters

## SPECIAL FEATURES

- HUSH Sound Suppression, ALL-IN-ONE Design (no liner required)

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ETR628SS</b>	28 1/2" W x 18" D x 11 7/8" H, 600 CFM, Stainless	53	\$1,209.00	\$1,099.00
<b>ETR634SS</b>	34 1/2" W x 18" D x 11 7/8" H, 600 CFM, Stainless	63	\$1,319.00	\$1,199.00
<b>ETR134S1</b>	34 1/2" W x 18" D x 11 7/8" H, 1200 CFM, Stainless	68	\$1,429.00	\$1,299.00
<b>ETR146SS</b>	46 1/2" W x 18" D x 11 7/8" H, 1200 CFM, Stainless	90	\$1,739.00	\$1,579.00

## ACCESSORIES

<b>KIT0154387</b>	Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER	54	\$979.00	\$889.00
<b>KIT0153054</b>	External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/REPLACE EXISTING BLOWER	67	\$1,839.00	\$1,669.00
<b>KIT0179549</b>	Remote Inline Blower Shell Kit - 8" or 10" duct size compatible USE WITH 600 OR 1200 CFM BLOWER MODELS (internal, external, inline)	54	\$549.00	\$499.00
<b>KIT0179547</b>	Remote External Blower Shell Kit - 8" or 10" duct size compatible (304 stainless) USE WITH 1200 CFM BLOWER MODELS (internal, external, inline)	67	\$829.00	\$749.00
<b>KIT0185752</b>	Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0185099</b>	Electronic CFM Reduction Bypass KIT for 1200 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0192765</b>	Recirculation Filters - Contains 4 round carbon filters	3	\$39.00	\$36.00
<b>KIT0192763</b>	Recirculation Grate/Deflector - Contains one round metal grate/deflector for 8" duct size only	5	\$39.00	\$36.00
<b>ACC0185271</b>	Transition Reducer Kit (10" round down to 8" round - attaches to 10" round transition supplied w/ hood)	1	\$32.00	\$29.00

# SCANNO



## FEATURES

- 600 CFM (28"), 1200 CFM (28", 34", 46")
- 4-speed
- Fully Recessing Stainless Rotating Knobs with Blue Illumination
- 10" round (top)
- Professional Stainless Steel Baffle, 2 w/28", 34", 3 w/46"
- HUSH Sound Suppression
- ALL-IN-ONE Design (no liner required)
- HeatGuard Sensor

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ESC628SS</b>	28 1/2" W x 15 1/2" D x 11 7/8" H, 600 CFM, Stainless	49	\$1,319.00	\$1,199.00
<b>ESC128SS</b>	28 1/2" W x 15 1/2" D x 11 7/8" H, 1200 CFM, Stainless	55	\$1,429.00	\$1,299.00
<b>ESC134SS</b>	34 1/2" W x 15 1/2" D x 11 7/8" H, 1200 CFM, Stainless	64	\$1,649.00	\$1,499.00
<b>ESC146SS</b>	46 1/2" W x 15 1/2" D x 11 7/8" H, 1200 CFM, Stainless	85	\$1,919.00	\$1,749.00

## ACCESSORIES

<b>KIT0154387</b>	Inline Blower Kit 1200 CFM 8" or 10" Duct REMOVE / REPLACE EXISTING BLOWER	54	\$979.00	\$889.00
<b>KIT0153054</b>	External Blower Kit 1200 CFM 8" or 10" Duct REMOVE/ REPLACE EXISTING BLOWER	67	\$1,839.00	\$1,669.00
<b>KIT0179549</b>	Remote Inline Blower Shell Kit - 8" or 10" duct size compatible USE WITH 600 OR 1200 CFM BLOWER MODELS (internal, external, inline)	54	\$549.00	\$499.00
<b>KIT0179547</b>	Remote External Blower Shell Kit - 8" or 10" duct size compatible (304 stainless) USE WITH 1200 CFM BLOWER MODELS (internal, external, inline)	67	\$829.00	\$749.00
<b>KIT0185752</b>	Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0185099</b>	Electronic CFM Reduction Bypass KIT for 1200 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0192765</b>	Recirculation Filters - Contains 4 round carbon filters	3	\$39.00	\$36.00
<b>KIT0192763</b>	Recirculation Grate/Deflector - Contains one round metal grate/deflector for 8" duct size only	5	\$39.00	\$36.00
<b>ACC0185271</b>	Transition Reducer Kit (10" round down to 8" round - attaches to 10" round transition supplied w/ hood)	1	\$32.00	\$29.00

# ORISTANO

Inspired by the traditional architecture, glistening warm waters and the relaxed pace of Oristano, the capital city of Sardinia Italy, Oristano has a tapered shape, seamless flow, mirrored stainless front rim and decorative banding & rivets that deliver a statement and complement even the most exquisite kitchens.



## FEATURES

- Stainless Steel
- Fully Retractable Rotating Knobs with Blue Backlight
- Dishwasher-Safe, Professional Stainless Steel Baffle
- 10" Round with BackDraft Damper (top only)
- Ducted Installation Only
- 600 - 1200 CFM

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EORX36SS</b>	36" wide x 31 5/8" tall x 24 5/16" deep, SS, Mirror Stainless Rim/ 2 bands/ rivets - <b>MUST ORDER</b> EAR634SS OR EAR134S4	140	\$3,059.00	\$2,780.00
<b>EORX48SS</b>	48" wide x 31 5/8" tall x 24 5/16" deep, SS, Mirror Stainless Rim/ 3 bands/ rivets - <b>MUST ORDER</b> EAR140S4	170	\$3,479.00	\$3,160.00

# CATANIA

The robust structure and stunning stainless of the Catania hood is a reflection of how the volcanic Mount Etna and Ionian Sea surround the city of Catania, on the Island of Sicily Italy. The piazza shaped design, seamless edges, mirrored stainless front rim and decorative banding & rivets deliver a bold statement and complement even the most glamorous kitchens.



## FEATURES

- Stainless Steel
- Fully retractable rotating knobs with blue backlighting
- 2 LED, 6.5 W, 3000 K, 540 Lumen/Lamp
- Dishwasher-Safe, Professional Stainless Steel Baffle
- 10" Round with BackDraft Damper (top only)
- Ducted Installation Only
- 600 - 1200 CFM

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ECTX36SS</b>	36" wide x 34" tall x 22 1/8" deep, SS, Mirror Stainless Rim/ 4 bands/ rivets - <b>MUST ORDER</b> ETR634SS OR ETR134S1	140	\$3,229.00	\$2,940.00
<b>ECTX48SS</b>	48" wide x 34" tall x 22 1/8" deep, SS, Mirror Stainless Rim/ 5 bands / rivets - <b>MUST ORDER</b> ETR146SS	170	\$3,819.00	\$3,470.00

Running change to height coming soon will be 30"

ACCESSORIES FOR SHELLS		WEIGHT	RETAIL	MAP
<b>KIT0154387</b>	Inline Blower Kit - 1200 CFM, 8" or 10" duct size compatible	54	\$979.00	\$889.00
<b>KIT0153054</b>	External Blower Kit - 1200 CFM, 8" or 10" duct size compatible.	37	\$1,839.00	\$1,669.00
<b>KIT0179549</b>	Remote Inline Blower Shell Kit - 8" or 10" duct size compatible USE WITH 600 OR 1200 CFM BLOWER MODELS (internal, external, inline)	54	\$549.00	\$499.00
<b>KIT0179547</b>	Remote External Blower Shell Kit - 8" or 10" duct size compatible (304 stainless) USE WITH 1200 CFM BLOWER MODELS (internal, external, inline)	67	\$829.00	\$749.00
<b>KIT0185752</b>	Electronic CFM Reduction Bypass KIT for 600 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0185099</b>	Electronic CFM Reduction Bypass KIT for 1200 cfm blowers (achieves < 300 cfm)	1	\$39.00	\$35.00
<b>KIT0192765</b>	Recirculation Filters - Contains 4 round carbon filters	3	\$39.00	\$36.00
<b>KIT0192763</b>	Recirculation Grate/Deflector - Contains one round metal grate/deflector for 8" duct size only	5	\$39.00	\$36.00
<b>ACC0185271</b>	Transition Reducer Kit (10" round down to 8" round - attaches to 10" round transition supplied w/ hood)	1	\$32.00	\$29.00
<b>KIT0182781</b>	Chimney Extension 6" Tall for Oristano 36" Hood with 2 bands and rivets	18.3	\$719.00	\$649.00
<b>KIT0182782</b>	Chimney Extension 18" Tall for Oristano 36" Hood with 2 bands and rivets	36	\$819.00	\$749.00
<b>KIT0182783</b>	Chimney Extension 6" Tall for Oristano 48" Hood with 3 bands and rivets	28.7	\$819.00	\$749.00
<b>KIT0182784</b>	Chimney Extension 18" Tall for Oristano 48" Hood with 3 bands and rivets	58	\$929.00	\$849.00
<b>KIT0182785</b>	Chimney Extension 6" Tall for Catania 36" Hood with 4 bands and rivets	18.3	\$769.00	\$699.00
<b>KIT0182786</b>	Chimney Extension 18" Tall for Catania 36" Hood with 4 bands and rivets	36	\$879.00	\$799.00
<b>KIT0182787</b>	Chimney Extension 6" Tall for Catania 48" Hood with 5 bands and rivets	28.7	\$879.00	\$799.00
<b>KIT0182788</b>	Chimney Extension 18" Tall for Catania 48" Hood with 5 bands and rivets	58	\$989.00	\$899.00

# HILIGHT

SAVE the VIEW and kitchen Architectural Design. HILIGHT installs perfectly flush with the ceiling (out of sight), leaving the space above the cooktop completely open. With the blower high up in the ceiling, sound is reduced, allowing you to cook up a storm and entertain with comfort. Plus, adjustable low energy strip LED lighting creates the right mood for every moment. Control the lighting and blower speeds with a remote control, and the grease filters are easily accessed behind a drop down panel for effortless clean up in the dishwasher.



## FEATURES

- Ceiling Mount Hood
- 600 CFM
- 5 Speed Blower
- Aluminum Mesh Filter
- LED Strip Lighting

Hilight can be installed in kitchens with ceiling heights of 10' or lower

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EHL640SS</b>	40" W x 22" D x 11 3/4" H, Stainless Steel Plate & Frame	75	\$2,899.00	\$2,639.00
<b>EHL640WH</b>	40" W x 22" D x 11 3/4" H, White Glass & Stainless Frame	86	\$2,899.00	\$2,639.00

ACCESSORIES				
<b>KIT0167875</b>	Recirculating Kit contains recirculation cartridge and long-life carbon filter. Return ducting and ceiling grate not included.	2	\$58.00	\$53.00

# ILLUSION

FIRST PANEL-READY CEILING HOOD ON THE MARKET. ILLUSION not only installs perfectly flush with the ceiling, but the face of the hood is designed to be fitted with drywall, that can be textured and painted to perfectly match the rest of the ceiling. Illusion doesn't hide, it virtually DISAPPEARS! Above all, Illusion SAVES the VIEW and preserves the Architectural Design of the kitchen, by leaving the space above the cooktop completely open. With the blower high up in the ceiling, sound is reduced, allowing you to cook up a storm and entertain with comfort. Plus, elegantly recessed/hidden strip LED lighting creates the right mood for every moment. Control the lighting and blower speeds with a remote control, and the grease filters are easily accessed behind a drop down panel for effortless clean up in the dishwasher. Also available in all white, with a white metal panel.



## FEATURES

- Ceiling Mount Hood
- 600 CFM
- 5 Speed Blower
- Aluminum Mesh Filter
- LED Strip Lighting

Illusion can be installed in kitchens with ceiling heights of 10' or lower

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EIL640DW</b>	40" W x 20" D x 11 3/4" H, Drywall & Stainless Frame	66	\$2,899.00	\$2,639.00
<b>EIL640WH</b>	40" W x 20" D x 11 3/4" H, White Glass & White Metal Frame	69	\$2,899.00	\$2,639.00

ACCESSORIES				
<b>KIT0167875</b>	Recirculating Kit contains recirculation cartridge and long-life carbon filter. Return ducting and ceiling grate not included.	2	\$58.00	\$53.00



# DOWNDRAFTS

## RISE

When the view out your kitchen window is too spectacular to disrupt with a range hood, Elica's Rise is the perfect solution. Rise recesses completely out-of-sight into the countertop (when not in use), but when it's time to cook, Rise elevates a full 14" above the countertop (almost twice the height of competitors), for added ventilating efficiency. On top of that, Elica added Perimeter Aspiration Technology, which increases suction 35% and actually draws air from the front burner effectively, to create the best functioning downdraft on the market.

Rise comes equipped with a powerful 600 CFM internal blower, which is operated by an electronic rotating control that's flush mounted into the countertop or cabinet face.

For maximum flexibility, the blower can be rotated to the opposite side to make room for a floor mounted range.



### FEATURES

- 30" or 36" Wide Downdraft
- Stainless Steel
- Electronic Rotating Disc
- Ducted Installation Only
- 600 CFM, 4-Speeds Internal
- Speed 4, 600 CFM, 8.0 Sones
- Perimeter Aspiration (Aluminium Mesh Filter Behind)
- Plus Perimeter Aspiration Plate
- 6" Round with Back Draft Damper (side)
- 120V-60Hz
- 410 Watts at 3.4 Amps

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ERS630S1</b>	30" W x 2 1/2" D x 14" H, 600 CFM Stainless	120	\$1,869.00	\$1,699.00
<b>ERS636S1</b>	36" W x 2 1/2" D x 14" H, 600 CFM Stainless	130	\$1,979.00	\$1,799.00

### ACCESSORIES

<b>KITO2748</b>	CFM Reduction Kit (achieves < 300 CFM)	.05	\$65.00	\$59.00
-----------------	--	-----	---------	---------

# OUTDOOR WALL HOODS

## CAPRI



### FEATURES

- 36" or 48" Outdoor Wall Hood
- Corrosion Resistant Grade Stainless Steel
- Fully retractable rotating knobs with blue backlighting
- LED lights
- 10" Round with BackDraft Damper (top)
- Ducted Installation Only
- Led consumer replaceable bulb
- Senses extreme temperatures and automatically adjusts the blower speed to HIGH
- Stainless steel baffle filters with grease collectors

MODEL	DESCRIPTION	RETAIL	MAP
ECP136SS	36" W x 32" D x 18" H, Stainless ORDER BLOWER SEPARATELY	\$2,369.00	\$2,159.00
ECP148SS	48" W x 32" D x 18" H, Stainless ORDER BLOWER SEPARATELY	\$2,799.00	\$2,549.00

### ACCESSORIES

KIT	DESCRIPTION	QTY	RETAIL	MAP
KIT0156645	DUCT COVER 12" Tall x 36" Wide	18	\$379.00	\$349.00
KIT0156649	DUCT COVER 12" Tall x 48" Wide	23	\$419.00	\$379.00
KIT0156637	DUCT COVER 6" Tall x 36" Wide	11	\$369.00	\$339.00
KIT0156641	DUCT COVER 6" Tall x 48" Wide	14	\$399.00	\$369.00
KIT0153304	SPACER 3" deep x 18" Tall x 36" Wide	5	\$659.00	\$599.00
KIT0153305	SPACER 3" deep x 18" Tall x 48" Wide	7	\$739.00	\$669.00
KIT0179549	Remote Inline Blower Shell Kit - 8" or 10" duct size compatible **REQUIRES PURCHASE OF KIT0156655** USE WITH 600 or 1200 CFM BLOWER MODELS	54	\$549.00	\$499.00
KIT0153054	1200 cfm EXTERNAL BLOWER (includes SS Shell plus factory installed 1200 cfm blower)	67	\$1,839.00	\$1,669.00
KIT0156655	1200 cfm INTERNAL BLOWER	22	\$439.00	\$399.00

# MAKEUP AIR SOLUTION



- Works With any Brand of Kitchen Ventilation
- Works for New Construction or Retro-Fit Jobs
- Universal Design Reduces Builder Costs

MODEL	DESCRIPTION	RETAIL	MAP
<b>KIT0148906A</b>	Contains 6" Round Switch Duct plus 6" Round Motorized Damper	\$339.00	\$309.00
<b>KIT0148914A</b>	Contains 8" Round Switch Duct plus 6" Round Motorized Damper	\$369.00	\$339.00
<b>KIT0148978A</b>	Contains 10" Round Switch Duct plus 6" Round Motorized Damper	\$439.00	\$399.00
<b>KIT0148981A</b>	Contains 3 1/4" x 10" Switch Duct plus 6" Round Motorized Damper	\$339.00	\$309.00

## DOWNDRAFT AND INDUCTION COOKTOPS



### NIKOLA TESLA SWITCH

Induction cooktop with 400 CFM downdraft

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ENS436BL</b>	36" W x 20 1/4" D x 8 1/4" H, Black Glass	92	\$5,499.00	\$4,999.00

### NIKOLA TESLA FLUX

Induction cooktop with 600 CFM downdraft

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>ENF430BL</b>	30 5/16" W x 22 9/16" D x 10 3/16" H, Black Glass	78	\$4,179.00	\$3,799.00
<b>ENF436BL</b>	36 1/16" W x 22 9/16" D x 10 3/16" H, Black Glass	97	\$4,729.00	\$4,299.00

### VOLTA

Induction cooktop with electronic glass touch and slide controls and bridge zone

MODEL	DESCRIPTION	WEIGHT	RETAIL	MAP
<b>EIV424BL</b>	24" W x 20 3/4" D x 3 1/2" H, Black Glass	31	\$1,649.00	\$1,499.00
<b>EIV430BL</b>	30 3/8" W x 22 1/4" D x 3 1/2" H, Black Glass	41	\$1,869.00	\$1,699.00
<b>EIV536BL</b>	36" W x 22 1/4" D x 3 1/2" H, Black Glass	51	\$2,199.00	\$1,999.00